

SCIENTIFIC AMERICAN

[Entered at the Post Office of New York, N. Y. as Second Class matter.]

A WEEKLY JOURNAL OF PRACTICAL INFORMATION, ART, SCIENCE, MECHANICS, CHEMISTRY, AND MANUFACTURES.

Vol. LXXXVI.—No. 1.
ESTABLISHED 1845.

NEW YORK, JANUARY 2, 1897.

\$3.00 A YEAR.
WEEKLY.

THE SIGNALING SYSTEM OF THE BROADWAY AND SEVENTH AVENUE RAILROAD.


It goes without saying that a railway that must handle a half million passengers daily on one of the most crowded thoroughfares of one of the largest cities in the world must have some system of communication by which delays may be avoided, assistance rendered in case of accident, and by which provision can be made, in case of fire or other hindrance in the street, to resume and maintain traffic. There is no busier railroad than the Broadway and Seventh Avenue cable railroad, and while there is an occasional block, we venture to say that, although few roads do an equal amount of business, none of them operate with fewer delays. This, we think, is in a great measure due to the signaling system employed for communicating with headquarters.

The most frequent cause of delay is the breaking down on the tracks of heavy trucks and other vehicles, which cannot be readily removed and which require the assistance of the emergency wagon and its crew. Fire also frequently causes delays, but the railway company is often able by means of supports to run the hose at an elevation so that the cars may pass uninterruptedly. Occasionally the breaking down of a car or the failure of a cable causes a delay.

One of the more fruitful causes of accident and delay in the early history of the cable road was the fraying of the cable, and the stripping of a strand so as to form a large knot on the cable which the grips could not pass. In an accident of this kind the car was carried along with resistless force, carrying everything before it, with no chance of being stopped until a signal could be sent by some roundabout way to the power house to stop the cable. Pedestrians and all vehicles occupying the middle of the street were at the mercy of the runaway car. Nothing could be done but to give it a free course until the cable was disconnected or the engines stopped.

Now this and every other imaginable emergency is provided against so as to reduce the interruption to a minimum.

The electric signaling system of the Broadway and Seventh Avenue Railroad is illustrated in the annexed engravings, two of which show the indicators, alarms and regis-



REGISTERING INSTRUMENT AND EMERGENCY WAGON.


tering apparatus at the power station, one showing the street signaling box, and another a diagram on which the circuits can be readily traced. Every section of the road has at least two signaling wires. An additional wire extends from Houston Street to Fiftieth Street, on Broadway, and three wires extend the length of Twenty-third Street and Lexington Avenue branch.

In the engine rooms at the power station are placed indicators and alarms, and in the president's office is placed a recorder and time stamp, which makes a record of every call. The call boxes are placed in openings in the pavements, covered by heavy iron plates. They are inserted in the circuits and used in the same manner as in fire and district telegraphs, and they are each provided with a revolving lever and contact points corresponding with the words on the indicator at the power station. The call box has the same words arranged in the same order, so that when the lever is turned the circuit is opened and closed, causing a movement of the index in the indicator corresponding with the movement of the lever in the signaling box. At the same time the alarm gongs are rung, a record is made in the president's office, and the time is stamped on the record ribbon. An alarm is also sounded within the hearing of the men having charge of the emergency wagon, so that the wagon may proceed immediately to the location of the trouble. The wagon carries extras and tools,

with a sufficient number of men to remove any ordinary obstruction or to make such repairs as are usually needed on the road. There are four such wagons, each carrying a force of men sufficient to cope with almost any trouble. One of the wagons is located at the Houston Street power house, another at Lexington Avenue and Twenty-third Street, the third at Ninety-ninth Street and Lexington Avenue, and the fourth at Fiftieth Street and Broadway.

Cards are furnished to the conductors, gripmen, and inspectors, giving the location of the boxes and other important items. Each box has an individual number. In case of an accident the conductor, gripman, or inspector uncovers the signal box in the street and sends an ap-

(Continued on page 6.)



INDICATORS AND ALARMS IN ENGINE ROOM OF POWER HOUSE.

Scientific American.

ESTABLISHED 1845.

MUNN & CO., - - - EDITORS AND PROPRIETORS.

PUBLISHED WEEKLY AT

No. 361 BROADWAY, - - NEW YORK.

TERMS FOR THE SCIENTIFIC AMERICAN.

(Established 1845.)

One copy, one year, for the U. S., Canada or Mexico.....\$3.00
 One copy, six months, for the U. S., Canada or Mexico.....1.50
 One copy, one year, to any foreign country, postage prepaid, £1 10s. 5d. 4.00
 Remit by postal or express money order, or by bank draft or check.

MUNN & CO., 361 Broadway, corner Franklin Street, New York.

The Scientific American Supplement

(Established 1876)

is a distinct paper from the SCIENTIFIC AMERICAN. THE SUPPLEMENT is issued weekly. Every number contains 16 octavo pages, uniform in size with SCIENTIFIC AMERICAN. Terms of subscription for SUPPLEMENT, \$5.00 a year, for the U. S., Canada or Mexico, or £4s. 8d., to foreign countries belonging to the Postal Union. Single copies 10 cents. Sold by all newsdealers throughout the country. See prospectus, last page.
Combined Rates.—The SCIENTIFIC AMERICAN and SUPPLEMENT will be sent for one year, to one address in U. S., Canada or Mexico, on receipt of seven dollars. To foreign countries, eight dollars and fifty cents a year, or £1 14s. 11d., postage prepaid.

Building Edition of Scientific American.

(Established 1885.)

THE BUILDING EDITION OF THE SCIENTIFIC AMERICAN is a large and splendidly illustrated periodical, issued monthly, containing floor plans and perspective views pertaining to modern architecture. Each number is illustrated with beautiful plates, showing desirable dwellings, public buildings, and architectural work in great variety. To architects, builders, and all who contemplate building this work is invaluable.
 Single copies 25 cents. By mail, to any part of the United States, Canada or Mexico, \$2.50 a year. To foreign countries, \$3.00 a year, or £2s. 4d. Combined rate for BUILDING EDITION with SCIENTIFIC AMERICAN, to one address, \$5.00 a year. To foreign countries, \$6.50 a year, or £2 16s. 9d. Combined rate for BUILDING EDITION, SCIENTIFIC AMERICAN, and SUPPLEMENT, \$8.00 a year. To foreign countries, \$11.00 a year, or £2 5s. 2d., postage prepaid.

Export Edition of the Scientific American

(Established 1878)

with which is incorporated "LA AMERICA CIENTIFICA E INDUSTRIAL" or Spanish edition of the SCIENTIFIC AMERICAN, published monthly, uniform in size and typography with the SCIENTIFIC AMERICAN. Every number contains about 100 pages, profusely illustrated. It is the finest scientific industrial export paper published. It circulates throughout Cuba, the West Indies, Mexico, Central and South America, Spain and Spanish possessions—wherever the Spanish language is spoken. THE SCIENTIFIC AMERICAN EXPORT EDITION has a large guaranteed circulation in all commercial places throughout the world. \$3.00 a year, or 40 12s. 4d., postpaid to any part of the world. Single copies, 25 cents.

MUNN & CO., Publishers, 361 Broadway, New York.

☞ The safest way to remit is by postal order, express money order, draft or bank check. Make all remittances payable to order of MUNN & CO.

☞ Readers are specially requested to notify the publishers in case of any failure, delay, or irregularity in receipt of papers.

NEW YORK, SATURDAY, JANUARY 2, 1897.

Contents.

(Illustrated articles are marked with an asterisk.)

Archæological news.....	8	Mortars, compressed air for work- ing.....	11
Boiler, water tube, on its trial.....	13	Nautical register, the Johnston.....	8
Books and publications, new.....	13	Patent and trade mark decisions.....	9
Bricks, glass, for building.....	10	Pavilion built of glass bricks.....	10
Cable road signaling system.....	3	Photograph developer, pyro- metol.....	5
Compressed air in working guns.....	11	Pipe wrench, the Johnston.....	8
Electric elevators, improvements in.....	7	Plants, the philosophy of.....	11
Gold mining, the mother lode.....	6	Railroads, N. Y., cable, signaling on.....	3
Heavens, the, in January.....	9	Retrospect of 1896.....	4
Inventions recently patented.....	12	Science notes.....	8
Iron, production of British pig.....	10	Signaling system, cable railroad.....	3
Kite wires, messages by.....	10	St. Elmo's fire.....	3
Light rays and plant life.....	11	Weather map, the first.....	9
Locomotive speeding.....	8		

TABLE OF CONTENTS OF

Scientific American Supplement

No. 1096.

For the Week Ending January 2, 1897.

Price 10 cents. For sale by all newsdealers.

I. ARBORICULTURE.—Eucalyptus Calophylla.—A beautiful gum tree, recently flowering in the Kew collection.—1 illustration.....	17522
II. ASTRONOMY.—A Possible Cause of Change on the Moon's Surface.—By CHARLES DAVIDSON.—Possible geological changes to which the surface of the moon may be subjected.....	17523
III. AUTOCARS.—The Third Race of Horseless Carriages.—Views of horseless carriages with descriptions.—Prize winners in the long race from Paris to Marseilles and return.—10 illustrations.....	17518
IV. EDUCATIONAL.—A Novel Method of Training.—The training of the child of the psychologist, Prof. Elmer E. Gates, of Washington, described, with results anticipated in the development of the child's powers.....	17517
V. MEDICINE AND HYGIENE.—A Patient's Account of the Paris Pasteur Institute.—The course of operations pursued to prevent hydrophobia and notes on the success of the treatment.....	17515
VI. MINERALOGY.—Gem Fields of the World.—By GEORGE F. KUNZ.—A most valuable and popular article on the production of gems in all parts of the world, including America.....	17523
VII. MISCELLANEOUS.—An Ivory Sale at Antwerp.—A description of ivory in commerce and the methods of conducting the sales.—2 illustrations.....	17524
Beverages of Mexico.—By ISABEL N. CATLIN.—A popular article on the famous Mexican beverage "pulque."—How it is produced.—Government supervision over its sale.....	17519
Note on the Old Interlaken Monastery and Abbey.....	17526
Note on Stopping Runaway Horses.....	17520
Note on Orders now in Execution for Cars and Locomotives.....	17524
Selected Formulas.....	17520
Engineering Notes.....	17521
Electrical Notes.....	17521
Miscellaneous Notes.....	17521
VIII. MILITARY TACTICS.—A New Military Boat.—Extemporized methods of crossing rivers, with notes on other simple methods of extemporizing ferryboats.—3 illustrations.....	17519
IX. ORDONANCE.—Canet's Concentric Ring Breech Apparatus.—A wonderfully ingenious breech mechanism for heavy guns as devised at the famous French gun works.—6 illustrations.....	17517
The New Polarizing Photo Chronograph at the United States Artillery School, Fort Monroe, Va.—An elaborate paper on this important instrument in the repertoire of the artilleryman's art.—An accurate apparatus for testing the speed of projectiles.—7 illustrations.....	17511
X. SOCIAL SCIENCE.—Forecasting Famines in India.—By DOUGLAS ARCHIBALD.—The possibility of forecasting famine in India by studying and averaging meteorological conditions.....	17522
Insurance of Infants' Lives.—The evils of infant life insurance graphically illustrated.....	17525
XI. TECHNOLOGY.—Expanded Metal.—A very simple and obvious treatment of metal, with a wide range of application, with illustrations of its applications to building.—8 illustrations.....	17516
Note on Boring Glass.....	17529

THE WATER TUBE BOILER ON ITS TRIAL.

There has recently been brought to a close a series of trials of the water tube boiler, which has attracted more attention than any event that has happened in the engineering world for many months past. We refer to the trials of the 25,000 horse power installation of Belleville boilers on the cruiser Powerful.

These trials were remarkable, not because this was by any means the first use of water tube boilers at sea, but because it was the first attempt to use them on such an enormous scale. The public has long been familiar with this type as used on torpedo boats, and of late it has been winning its way into fuller recognition on shore, where it is doing good work in the general industries. It was natural that it should meet with favor for marine, and especially naval work, where its light weight, compact form and capacity for sudden generation of power render it specially useful. In the earlier days of torpedo boat building it had the locomotive type of boiler for its competitor; but as the demand for combined lightness and power has grown, the locomotive boiler has practically disappeared from the contest and left the water tube type in possession of the field. The excellent results obtained by the French navy in fitting some of their smaller cruisers with this type have led the British Admiralty to equip their two largest cruisers, the Powerful and Terrible, entirely with the Belleville boiler. The decision was based upon the French experiences, and also upon a series of exhaustive trials in one of their own gunboats. The decision evoked a storm of criticism from experts, naval and otherwise, and it was freely predicted that the attempt would be a costly failure. The results of the recent trials, however, are reported to have been exceptionally favorable, the contract horse power, 25,000, being largely exceeded, and steam being maintained with ease and regularity.

The Belleville boilers, forty-eight in all, are divided up into eight groups—four groups of eight boilers each and four others of four boilers each, each group in its own compartment. The four latter groups are arranged side by side and fired athwartship. The other four groups are arranged for fore and aft firing. There are twelve stoking spaces, arranged with four boilers and six stokers to each space. It is found that if the men replenish the fires every four minutes by the clock, perfect uniformity of pressure can be maintained.

It has frequently been urged that the results of official trials of foreign battleships are worth very little because they are of too short duration to really test the qualities of the machinery and boilers. It must be admitted that no such charge can be made in this case, the trial tests, indeed, being of an extraordinarily severe nature, such as have never been attempted in any other navy. They included two runs at 5,000 and 18,000 horse power respectively, each of thirty hours' duration, and a final run of eight hours, the first four hours at 25,000 horse power and the remaining two at 22,000 horse power.

In the first trial the average indicated horse power was 5,008 and the coal consumption 2.07 pounds per horse power per hour. Sixteen out of the forty-eight boilers were used. In the second thirty hour trial the indicated horse power was 18,433 and the coal consumption 1.83 pounds. The four hours' full power trial was carried out on November 27. The boiler pressure was 257 pounds; the mean indicated horse power was 25,886, the maximum being 26,497; and the speed of the vessel against a head sea and wind was 21.8 knots, the distance being measured by landmarks. The coal consumption was not taken. It was estimated that in smooth water the speed would have been about 22.75 knots.

During both thirty hour runs the two furnaces of each boiler were fired alternately at intervals of four minutes. At the commencement of the full power run this was reduced to three minutes. The fires were kept at a thickness of six inches, coal being put on only in sufficient quantities to fill up the holes and hollows. The draught plates were kept three-quarters open, the air supply being controlled by varying the speed of the fans. The Belleville system is run upon the "open" as against the "closed" system of forced draught, and the fans are used primarily for ventilation. The work of the ordinary closed stokehold fan is done in a Belleville boiler plant by air compressing engines, one of which is placed in each stokehold.

It will thus be seen that the introduction of the water tube boiler has removed at a stroke all the discomforts attendant upon the old forced draught. The maximum temperature in the stokehold never exceeded 90 degrees; in the engine rooms it was 75 degrees. It is claimed, and very justly, too, that this moderate temperature will be of inestimable value when the engine and boiler room staff is called upon to endure the long continued strain of a war cruise.

Some idea of the saving of weight which is made by the use of this type of boiler as against the ordinary Scotch boiler may be gathered from the fact that the Powerful can carry a coal supply of over 3,000 tons. On the other hand it must be borne in mind that the consumption of coal per horse power is higher for the

water tube than for the common type of boiler. It is a common occurrence for a Scotch boiler to show a consumption of less than 1.5 pounds per horse power hour, and it was only the other day that, chancing to step aboard a tramp steamer and inquire as to her coal consumption, the engineer promptly responded by handing us the cards of the voyage just ended, which showed a consumption of 1.4 pounds. So that in considering the merits of the Belleville boiler as regards saving of weight, we must remember that if the weight of boiler per horse power is less, the weight of coal per horse power is greater.

Warships, however, are not run for economy. The value of this type of boiler lies in its power to generate high pressure steam rapidly and in great volume for a considerable length of time in response to an emergency call, such as will continually be made in active service. The trials just concluded prove that all these conditions can be fulfilled with an installation of the unprecedented capacity (for water tube boilers) of 25,000 horse power.

A RETROSPECT OF THE YEAR 1896.

It will be pardonable to take a rapid glance at the international affairs of the past year, before entering into a detailed recapitulation of the scientific achievements which have marked its progress; and, as a journal devoted to the arts of peace, we note with deep satisfaction that whereas the opening of the year was marked by a widespread international distrust and jealousy, and the gathering of ominous war clouds, its close finds the political sky growing clear, a more reasonable temper of tolerance and forbearance manifesting itself, and, with the exception of three widely separated corners of the earth, a prevailing and apparently long to be continued peace established. With the Venezuelan scare replaced by the prospect of a permanent peace tribunal; with England, France and Russia united in the effort to bring about reforms in the East; with the Boer government promising concessions to the foreign element in the Transvaal; with a satisfactory treaty concluded between Italy and Abyssinia and the hostages returned—the prospects of peace are certainly brighter now than they were in the opening days of the year which has just drawn to a close. The three existing wars are attendant on the struggle of Spain to hold what she has in Cuba and the Philippines, and of England to reconquer the Soudan.

It is encouraging to note that in the industrial world there is evidence of a marked revival of trade, which has been felt in every quarter of the globe, and in this respect is as widespread as the gradual depression which commenced in 1891. We were the last nation to feel the decline, and we have been among the last to show signs of recovery. With the opening of the year, however, we may congratulate ourselves that trade is thoroughly convalescent, and there is every reason to look for a prosperity which will be permanent, because it is more gradual in its return, and comes in a natural course. One of the most notable events of the year has been the astonishing development of Japan, whose victory over her traditional enemy seems to have awoke in her a spirit of aggressive ambition, which is showing itself in her evident determination to take her place as one of the leading nations of the world.

It was hoped when the Chinese statesman and ambassador, Li Hung Chang, made his tour through the western world at the time of the coronation of the Czar of Russia, that his return to China would be marked by a similar activity in the ancient empire. There is little doubt but what Li Hung Chang himself was earnestly in favor of introducing modern improvements and industries. The tidings, however, that soon after his arrival he had been again degraded shows that the conservative party is yet all powerful. The awakening of China seems to be indefinitely postponed.

The most notable event in the field of engineering was the opening of the river Danube to navigation. This event formed part of the millennial festivities in Hungary, and as such took rank with the great exposition at Buda-Pesth. The undertaking was intrusted to Hungary by the treaty of Berlin, 1878, and work was commenced in 1890 and completed on the last day of 1895. The blasting operations covered a distance of sixty miles, and involved the removal of 1,635,000 cubic yards of material, 915,600 of which were excavated under water. Nine thousand workmen were continuously employed and the total cost was \$10,000,000. Previous to the opening of the Iron Gates five feet was the limit of draught for river steamers for a large part of the year. The canal now affords an unobstructed outlet from Vienna to the sea for boats drawing ten feet of water. The Nicaraguan Canal Company states in its annual report to the Secretary of the Interior that no work has been done since August, 1893. Its rival, the Panama Canal, is almost equally inert, a small force being employed merely to fulfill charter obligations. It is with pleasure we turn to the Chicago Drainage Canal, which is being pushed with commendable energy. Apart from its magnitude, this work is remarkable for the magnificent excavating machinery which it has called into existence and the novel methods of handling material which are employed. The pre-

liminary operations connected with the great Simplon Tunnel through the Alps are under way, and the fact that this monumental work is being undertaken conjointly by the Italian and Swiss governments is a pledge of its vigorous prosecution. In this country we have seen the completion of the great dry dock at Port Orchard, 675 feet long, and a similar structure at the Brooklyn Navy Yard, with a length of 670 feet, is within measurable distance of completion. Work has been carried on without interruption on the Croton River Dam, and this massive structure is, therefore, nearer completion by one more out of the total thirteen years that will have been consumed in its erection. Work has been commenced during the year on the new East River Suspension Bridge, New York. This structure will rank as the second longest railroad span in the world, the clear length between towers being 1,600 feet. It will carry six lines of railroad track, two roadways, and two footwalks, and will in every way, except that of beauty, eclipse the existing New York and Brooklyn Bridge. Mention should be made of the completion of the great Cascade Locks on the Columbia River, Oregon, whereby a vast area of the interior of the State is opened up to river navigation, of the progress of the great lock at the new Imperial Harbor of Bremerhaven, and of the extensive works at Barry Docks, England.

In the wide field of transportation, the most notable undertaking is of course the great Siberian Railway. Work has been pushed so vigorously that the line will soon reach Irkutsk, an event which will mark the completion of the entire western, and a large part of the transcontinental, line. At the present rate of construction, the line can be completed in 1898. Considerable activity is being shown in railroad building in Southeastern Africa, and the Congo Railroad is about half completed. In the United States, 1,803 miles only were built last year, a small figure in comparison with those of previous years; but it must be borne in mind that a vast amount of work has been done in the improvement of roadbed and rolling stock. The past year has not been marked by any such spectacular railroad runs as distinguished its predecessor; but there has been a tendency to accelerate the running speed of the average train. This has been rendered possible by the improved condition of the track and the ever increasing weight and power of the engines. The favorite type of locomotive for fast passenger traffic, if we may judge from the recent examples, has cylinders 19 to 20 inches diameter by 24 to 26 inches stroke; 180 to 200 pounds of steam; drivers, $6\frac{1}{2}$ to 7 feet in diameter, and about 2,000 square feet of heating surface.

Electric traction has continued to make steady progress during the year. Its ultimate application to the trunk railroads has been brought a step nearer by the excellent results obtained during the year on the Nantasket branch of the New Haven road, which have been so good that the company has determined to lay a third rail on other branches of its system. Of the attempt to apply electric traction to the main lines by the builders of the Heilmann locomotive, it can only be said that if it proves to be successful, it will be in flat contradiction to the commonly accepted principles of the conversion of energy. The company claims to have been so encouraged by results that they are building larger and much more powerful machines. The successful operation of the Lenox Avenue underground trolley lines in New York City during the snows of last winter, and the determination of the company to put in the same system on forty miles of their horse car lines brings the day a little nearer when overhead wires will be abolished from our streets. The year has seen the opening of the Buda-Pesth electric underground road in Europe, and in this country the Boston Electrical Subway has progressed favorably. The deep underground electric railways of London have proved so successful that several new schemes are in progress and proposed. The Snaefell Mountain Railway in the Isle of Man has scored a brilliant success for electric traction, in sharp contrast to its unfortunate contemporary across the channel in North Wales, the Mount Snowdon steam rack railway. Much interest attaches to the line opened this year at Lugano, Switzerland, where the three-phase system receives its first application to traction. The cars carry a double trolley and the rails are utilized as one conductor. Limits of space prevent a detailed reference to the ever increasing applications of electric power, chief among which is the transmission from Niagara to Buffalo. Suffice it to say that the year has seen its further extension in the shape of electric locomotives for mining and general yard work, its extended application to elevators, motor carriages, the manipulation of warship appliances, artillery, to various household uses and a multitude of other purposes.

Compressed air, notwithstanding the loss of power inseparable from its compression and expansion, has come to the front this year, especially in this country, where the Hardie and Hoadley patents for railway motors have been extensively tested on the streets of New York City. Both of these attempt to overcome the loss by a system of heating the air previous to its ad-

mission to the cylinders. The Hardie motor has given such satisfaction that it is shortly to be applied experimentally to the elevated railroads in this city. Compressed air has also undergone a successful test on the United States monitor Terror, where it is applied to the manipulation of the turrets.

The motor car, or horseless carriage, has attracted more attention this year than any other device in the field of mechanical engineering, always of course excepting the bicycle. Our columns have kept the public well informed, both by cuts and descriptive matter, of the progress of the industry. The record of the year proves that the motor car has come to stay, and gives cause to believe that it will enjoy a popularity second only to that of the bicycle itself, and a commercial utility far greater. The greatest performance of the year was that of the winning machine in the Paris-Marseilles race, which covered 1973 miles at an average speed of over 15 miles per hour. In this country we have had the Cosmopolitan race on Decoration Day and the track race at the Providence State Fair. The way has been opened for the new industry in England by the repeal of the antiquated laws restricting the use of motors on common roads. In the inaugural parade (so called, it was really a race) the winning car made a speed of over 20 miles per hour for the whole journey from London to Brighton. At present the oil motors are in almost undisputed possession of the field; but there is every reason to expect that when the steam engineers have had time to develop a suitable form of engine and boiler, this supremacy will be disputed.

The bicycle still continues to enjoy an enormous popularity. It has undergone little or no organic change this year in its construction; the diamond frame, chain-driven machine continuing to be the practically universal type. There is a tendency to raise the gear from $66\frac{1}{2}$ to 74 or even 80. The tendency to study the comfort of the rider is seen in the great attention which has been paid to the production of a comfortable saddle, built on so-called "hygienic" principles. The single tube tire appears to be displacing the double tube; and the weight of the average machine remains at about 23 pounds.

The close of the year 1896 sees no abatement in the craze for naval shipbuilding which has taken possession of the nations. England, France and Russia continue to make enormous expenditures on their fleets, and Germany, on a smaller scale, is maintaining her activity of the last few years. Speaking generally of the designs, there is a tendency to sacrifice armor to armament and speed. This is very noticeable in the latest battleships of the English navy, known as the new Renown class, which, with a displacement of nearly 13,000 tons, will have only eight inches of armor on the sides, six inches on the bulkheads and ten inches on the turrets. On the other hand, they will carry nearly 2,000 tons of coal and steam about nineteen knots. It will thus be seen that the dividing line between battleship and armored cruiser is gradually disappearing. One of the most sensational events of the year was the speed attained by the torpedo boat destroyers Desperate, of the British navy, and Forban, of the French navy, both of which exceeded thirty-one knots an hour. The naval progress of the United States during the past year has been altogether unprecedented. The most notable fact is the completion of that powerful trio of battleships, the Indiana, Massachusetts and Oregon, which are universally conceded to be the most powerful fighting machines afloat. Each of them considerably exceeded the contract speed at its trial, the Oregon touching seventeen knots an hour. The Brooklyn was nearly two knots ahead of its trial speed of twenty knots, and this vessel also enjoys the distinction of being the most effective ship of her class afloat. The monitors Monadnock and Terror, the ram Katahdin, and the torpedo boat Ericsson have also been accepted. In naval strength, the United States have now moved up to sixth place, and they will eventually be ahead of Germany on the list, if the present activity continues.

We have so recently illustrated the recent developments of shot and armor that it is sufficient to say that the year closes with the Harveyized reformed nickel steel plate and the compressed fluid steel solid shot of American manufacture still in the lead.

In the merchant marine it is gratifying to record that the American liner St. Paul has captured the record from Southampton to New York, her time on two successive trips being 6 days 2 hours and 24 minutes, and 6 days and 31 minutes, her speed on the latter trip being 21.08 knots per hour. This result from a ship which was designed for only 20 knots is a distinct tribute to the skill of the shipbuilders. Mention must be made in this connection of the placing of orders by the Japanese government with Messrs. Cramps and with the Union Iron Works for two fast cruisers. It is the first event of its kind, and full of promise for the future. Speaking generally, there has been a tendency the past year to build cargo steamers of unprecedented size, huge carrying capacity and moderate speed, the Pennsylvania, the next largest ship to the Great Eastern, and rivaling her in size, being a case in point. The German yards have two vessels in hand for the Atlan-

tic mail service which are to surpass the Lucania, the Frederick the Great being 20 feet longer on the water-line and several hundred tons greater displacement. The world is watching curiously for the trial trip of the Bazin roller ship.

The geographical world has welcomed home this year from Arctic exploration Dr. Nansen, who failed to drift across the North Pole, but penetrated to latitude 86 degrees 14 minutes, which is 2 degrees and 50 minutes further north than ever before attained. The Jackson-Harmsworth expedition has mapped out an extensive area of Franz Josef Land, and Lieutenant Peary has returned safely from his annual Arctic trip. The voyage of Mr. Borchgrevink to Antarctic regions and his earnest representations are likely to result in one or more well equipped expeditions.

Archæology has reaped a rich harvest as the result of the year's explorations. M. De Morgan's discoveries at Dashur in Egypt, the excavations of Dr. Richardson in Corinth and Herr Dorpfeld at Athens, the finding of Trajan's Ship of State in Lake Nemi, and lastly the splendid results of American investigation in Babylonia are only some of the operations of a particularly successful year.

The field of aeronautics is poorer by the loss of Lilienthal, who died a martyr's death, victim of his devotion to science. The most remarkable performances of the year have been those of Prof. Langley's aerodrome, which, carrying its own fuel and water, has soared and returned to earth, and also flown 1,500 yards in a horizontal direction, without losing its equilibrium or receiving any damage. The feat of human flight has been successfully accomplished for varying distances by inventors who have followed in the steps of Lilienthal, who was the first to accomplish it successfully. Experiments in kite flying have been industriously prosecuted at the Blue Hills Observatory, Boston, and this quondam pastime is likely to be turned to good meteorological account.

By far the most dramatic event in the world of science occurred when the year was yet but a few days old. On January 4, at the celebration of the semi-centennial of the founding of the Berlin Physical Society, Prof. Roentgen announced his discovery of what are now universally known as the X rays. A certain form of vacuum tube was shown to be capable of giving out rays which could penetrate opaque substances, and the public incredulity was quickly dissipated when X ray photographs began to fill the columns of the illustrated press. Following close upon the announcement came the fluoroscope, which enabled the effect of the rays to be seen directly by the eye. If no other event than this one had to be chronicled, the year just closed would stand out as one of the most famous in the history of Science.

The Pyro-Metol Developer.

BY JEX BARDWELL.

Some weeks ago I had a call to do a little street photography. The day was very far from being suitable for snap shot work, but it had to be done then or not at all. It had been raining, so that the atmosphere was clear, but there was very little light. The lens I used will work at $f/4$, but in order to get better distance I used the stop $f/8$. It was with some fear that I entered my dark room to develop the plates, but I had the satisfaction of having them turn out all right. I attribute my success to a modified pyro or pyro-metol developer which I have employed for some time past with general satisfaction. Those who have a little time to spare, and who are fond of trying a new thing once in awhile, will possibly find these few notes of interest. In the following formula No. 1 is for use when it is desired to produce a strong negative; No. 2 is a milder form of the same; No. 3 is the usual alkali solution:

No. 1.	
Water.....	8 ounces
Metol.....	18 grains
Sulphite of sodium (cryst.).....	360 "
Pyro.....	22 "
Bromide of potassium.....	4 "
Citric acid.....	24 "

No. 2.	
Water.....	8 ounces
Metol.....	18 grains
Sulphite of sodium (cryst.).....	360 "
Pyro.....	22 "

No. 3.	
Water.....	8 ounces
Carbonate of potassium.....	1 "


For use, take one part of No. 1 (or No. 2 according to the kind of negative desired) to one part of No. 3, and add one part of water.

I find that the above quantity of sulphite gives a slight tint which produces an excellent printing negative, but if you desire a gray negative you can get it by increasing the quantity of sulphite. I think those who try it will like it. I have had better results with this formula, both under skylight and landscape, than with any developer I have ever used. You can modify the printing qualities of your negative to almost any extent by increasing or decreasing the quantity of sulphite.—Wilson's Photographic Magazine.

THE SIGNALING SYSTEM OF THE BROADWAY AND SEVENTH AVENUE RAILROAD.

(Continued from first page)

propriate signal which will stop the cable or send out the wagon, as the case may be. If the cable is to be stopped, the index points to stop on the dial; the gong sounds the alarm, and there is for the moment great activity in the engine room, where the men rush for the throttle valves and shut the steam from the ponderous engines, or disconnect the cable drums by operating the clutches. If there is an obstruction on the track, like a broken down truck, for example, the wagon is signaled for and the men jack up the truck, attach a false wheel (which they carry and which is like a sleigh runner) and remove the truck from the track. When the track is again clear a signal is sent which indicates that the engines are to be started. Telephone connections are provided, so that conversation may be carried on between the power station and any point on the road.



ELECTRICAL CONNECTIONS OF SIGNALING SYSTEM, BROADWAY AND SEVENTH AVENUE RAILROAD.

The Mother Lode.

BY ENOS BROWN.

The term "Mother Lode" is a designation of the early miners of a vast mineral deposit of gold bearing quartz veins of a definite character occupying a central position in the great auriferous slate belt identified by Prof. Whitney, and extends in a northwest and southeast direction through the foot hills paralleling the Sierra Nevada Mountains which form the eastern boundary of the State of California. It begins in Mariposa County and runs northerly through Tuolumne, Calaveras, Amador, Eldorado and Placer Counties. North of Placer County it becomes less well defined, but appears in portions of Nevada, Butte, Sierra and Plumas Counties. In these ten counties most of the gold produced in California has been extracted. The Mother Lode proper, however, includes a region about one hundred miles in length from north to south, with a width ranging from five to fifty miles, with an average altitude of 2,000 feet, and constitutes the largest, richest and most remarkable metalliferous deposit of precious metals known in the world.

In this district is found a large number of gold bearing quartz veins irregularly distributed and interrupted by sterile and unproductive areas which usually occur in a belt of black slate with either slate, diabase, serpentine and occasionally granite as wall rock. In these veins is generally found a peculiar green vein matter which has been considered as characteristic of this auriferous belt and has received the name of mariposite, from the fact of its being found so abundantly in Mariposa County.

The veins of this region are also considered more reliable from the fact that they have proved, in some cases, to be rich at a depth of 2,000 feet, and consequently permanent producers.

The largest and most important gold mines in California are located in this belt, the Church, Plymouth, Eureka, Keystone, Morgan, Utica, Rawhide, Josephine, Saulsby, Idaho, Empire, Kennedy, Princeton, Sheepranch, Providence and others with their record of millions. From observations of geologists it would appear that the origin of this vast reservoir of mineral wealth in all probability was that, at the time of the upheaval of the Sierra Nevadas, and the consequent disruption and tilting of the adjacent rocks, a series of fissures were formed which were subsequently filled with quartz and other mineral matter by alkaline water at a high temperature. Alkaline solutions at a high temperature and under great pressure will dissolve large amounts of

quartz, which is deposited in a crystalline state on the cooling of the solution. This process is still in operation in the State, and there is nothing improbable in this theory when the unnumbered centuries occupied in these geological changes are considered. But how did the gold get there? This is a question that has puzzled scientists exceedingly and has been the subject of much profound investigation. A large proportion

of the gold found in the quartz veins of the Mother Lode is in an exceedingly fine state of division and in intimate association with sulphur and pyrites. A good deal of it is, however, free and disseminated through the rock, from which it can be separated by pulverizing and carefully washing the resulting powder with water, leaving the gold behind.

This fine gold might have been carried into the



THE RECORD STRIP.

quartz mechanically at the time the fissures alluded to were filled with the quartz they now contain but theory would not account for the large masses or pockets which are often encountered and whose formation has been explained by some scientists as due to electric currents which we know exist in the earth's crust, bringing the small particles of gold together from surrounding rocks. It is also probable that the element called tellurium has had much to do with the

backed by capital and intelligence to make it the richest gold producing territory in the world. The lode has produced in the past hundreds of millions of dollars and the future is bright for it. In every portion of the lode can be found groups of prospectors searching diligently for indications, and results are sure to follow. Railroads are being projected to pierce the region of the Mother Lode and to make it accessible without laborious effort. The owners of the Mariposa grant have announced their intention to develop that rich section and to reopen the mines which heretofore have produced such quantities of rich ore. All is activity on the Mother Lode, and the people of California view with much complacency efforts which they fondly expect will bring to them again the flourishing days of old.

Tiny Little Brains.

Dr. William A. Hammond, the celebrated neuro-

logist, says the ganglia, which run like little threads of silk throughout the body, are tiny little brains, largely made up of the same kind of gray matter that composes the thinking part of the brain. While the sensitive ganglia send their little tendrils into every portion of the body, there is an especially large amount of them about the heart, and, really, according to Dr. Hammond, the human heart actually thinks on account of it. When we are frightened, the heart almost stops beating.

How could it do it, unless it really thought? It would be impossible.

The heart brains are the little gray ganglia, and they recognize the emotions of joy or pain or fright by sending quick throbs and thrills through the heart, which Dr. Hammond calls a secondary brain. It is well known that the ancients believed different organs of the body to be possessed of mental attributes, and this idea has been handed down to us in such expressions as a "brave heart," a "noble heart," a "splenetic nature," and the like.


Crossgrained people are said to have their spleens out of order, and the ancients located anger, resentment and impatience in the spleen.

An immense amount of gray matter or tissue runs back of the stomach, and a heavy blow there will kill as quickly as if the brain itself had been struck.

Wherever the ganglia congregate is a vital spot, and instead of thinking solely with the gray matter that is within our skulls, we think in every important organ and throughout every prominent function within our bodies. So says Dr. Hammond, and science, adds the New York Tribune, seems to agree with him.

The St. Elmo's Fire.

In the June number of the *Annalen des Hydrographie* there is an interesting discussion by H. Haltermann, of the occurrence of St. Elmo's fire at sea, based upon observations in the log books received at the Deutsche Seewarte. The tables contain full details as to position, conditions of weather, etc. During more than 77,000 days of observation the phenomenon was observed 164 times, 87 times in north and 77 times in south latitude. Its occurrence differs very considerably in different parts of the ocean—e. g., in the ten degree square lying be-




STREET SIGNAL BOX—SIGNALING POWER HOUSE.

deposition of gold in the veins of quartz. Tellurium is a volatile element which sublimes at a low temperature and carries the gold with it. In all probability it has had much to do with the depositing of gold in these mines.

The hope of California as a gold producing section lies in the development of the Mother Lode. From only a few mines within a limited territorial range it is producing \$10,000,000 annually. Its area is mostly maiden ground which only waits the effort of labor

tween the equator and 10 deg. N. lat. and between 20 deg. and 30 deg. W. long., St. Elmo's fire was observed about three times per 1,000 days, while in the two squares lying between 50 deg. and 60 deg. S. lat. and 60 deg. and 80 deg. W. long. it occurred six times per 1,000 days. The more frequent occurrence at sea than on land is attributed to the fact that the accumulating electricity is more easily conducted by the numerous objects projecting into the air over the land.



ELECTRIC ELEVATOR FOR FIREPROOF BUILDINGS.

THE LATEST IMPROVEMENTS IN ELECTRIC ELEVATORS.


The adaptation of electricity to the working of elevators in buildings has been watched with great interest, and the fact that electric elevators are now achieving a marked degree of success, and coming largely into use, is looked upon with great favor by the public. The large illustration on this page shows a high grade electric passenger elevator for fireproof buildings, the only combustible material used in it being the floor of the car. The motor is anchored to a brick foundation in the basement, and takes up but little space. This class of machine is built by the Elektron Manufacturing Company in sizes ranging from 5 horse power to 20 horse power, for speeds ranging from 40 feet per minute to 200 feet per minute and for capacities from 2,000 pounds to 5,000 pounds. In the small illustration is shown a machine for speeds ranging from 10 feet per minute to 100 feet per minute and capacities from 10 pounds to 500 pounds, while still smaller and larger machines are made.

These elevator machines are of the "worm gear" class, by perfecting the design and workmanship of which high efficiency and smooth running have been secured, the efficiency of the passenger gears being proved to be over 75 per cent. The drum, gearing, motor and switch are all mounted on one heavy cast iron bed plate. The gear is of gun metal, with teeth accurately hobbled from the solid, and the worm and worm shaft are made from one steel forging accurately turned in the lathe. Both gear and worm run in an oiltight case or housing, which also contains the bearings. The electric motor is coupled direct to the worm shaft by a heavy insulated coupling, which also serves as a brake wheel. The motors are constructed especially for elevator work, having great starting power, high efficiency and durability. They are heavily insulated from all other parts of the machine, thus obviating all danger of a shock to the operator in the car.

The plant illustrated is what is known as a "six cable job," there being two wire cables from the winding machine to the car; two from the car to the car counterweight and two from the machine to the machine counterweight. By this means it is possible to "overbalance the car," and it is found that the best practice is to overbalance equal to the average load. The sheaves over which the cables run at the head of hoistway are of cast iron, with steel shafts running in babbitted self-oiling bearings. These bearings are supported by heavy steel beams, which are in turn supported on the walls of the building. The guides for the car and counterweight are of planed tee iron, with fish plates at the joints, making a perfectly smooth and straight track for the car. The frame of the car is composed wholly of steel channel beams. The cables and safety devices are all attached to this frame, relieving the car of all strain. The car itself sets upon the two bottom beams of the frame and is strongly braced to the side beams. The car, as will be seen, is of highly ornamental iron work, and is usually provided with electric light chandelier and with electric annunciator connected to call buttons at each landing.

As shown in the illustration, the control of the car is by hand wheel, but where preferred on moderate speed elevators the straight hand rope is used. The starting, stopping and reversing is accomplished with the greatest ease and smoothness. The switch, which is shown mounted on the operating sheave at one end of the drum, is very substantial, and, being mounted on a large radius, moves very rapidly as compared with the movement of the operator's hand; it also breaks contact with a pronounced snap. Troubles with the burning of switch contacts have in this apparatus been entirely avoided. The automatic rheostat is shown attached to the wall back of the machine and insures a smooth start and prevents blowing fuses, no matter how suddenly the operator may throw in the switch.

In the construction of the passenger elevator, the question of safety has justly received the first consideration. What may be styled the "car safeties" are shown in the large illustration, and also in detail at the bottom of car. An endless rope passes over the governor wheel, which is located on the overhead beams, around an idler wheel at the bottom of the hoistway and several times around the safety drum on the car. This rope is, by a spring pressure, caused to move normally with the car. In case of the breakage of the lifting ropes, or in case of excessive speed due to




THE AUTOMATIC SAFETY CAR STOP.


any cause, the centrifugal governor operates a clutch which stops the movement of the rope. As the car continues to descend, the safety drum is caused to revolve, applying a gradually increasing vise grip to the steel guide rails on either side and bringing the car to a gradual stop. The machine also has a complete line of safety devices, as shown in the illustration of the switch and brake mechanism, where may be seen the attachment of the two switch knives directly to the operating sheave. This sheave is loose on the drum shaft and is rotated by the wire rope from the car at the will of the operator. The inner hub of the sheave carries a cam which moves the bell crank lever, raising and lowering the lever of the brake, and the instant the switch knives break contact with the clips the brake is applied.

One of the most important "safeties" is what is called the slack cable safety, also shown in the same view. A bar is located just below the drum and so close to it that there is barely room for the cables to run between when they are taut. If for any reason the cables should become slack, the bar is tipped downward, tripping a catch and allowing the coil spring to slide forward a clutch on the drum shaft into connection with the operating sheave. A slight additional rotation of drum will carry the sheave sufficiently to open switch and apply brake and stop the machine.

The automatic terminal stop consists of a screw threaded extension of the drum shaft outside of the operating sheave and of a frame or yoke connected with the operating sheave which surrounds the same. On this screw are two stationary nuts and one traveling nut so adjusted that when the car reaches either terminal the nuts will engage, and the operating sheave will be caused to rotate with the drum, when a slight rotation is all that is necessary to open the switch, apply the brake and bring the apparatus to a stop. The elevators are manufactured by the Elektron Manufacturing Company, of Springfield, Mass., with branch offices at New York City, Boston, and Rochester, N. Y. This company were among the first to adapt electricity to elevators, and they make direct elevators for both freight and passenger service, ranging in speed from 10 feet per minute to 300 feet per minute, and in capacities from ten pounds to ten tons.



A PRIVATE RESIDENCE ELEVATOR.



THE BRAKE SWITCH AND AUTOMATIC STOPS ON THE MACHINE.

Science Notes.

Mr. Igi, of the College of Science, says the Japan Weekly Mail, of Yokohama, is assured from data that he collected during a recent tour of investigation in the Sanriku district, that the seismic wave of June was due to a submarine volcanic explosion. He places the center of the disturbance about 200 leagues east off the coast of Yoshihama, Kisen district, corresponding to 39° lat. N., 149° long. E. He thinks that the phenomenon was similar to the Krakatoa disaster, save that instead of the volcano being on land, as in the East Indian catastrophe, in this instance it was far beneath the surface of the sea. He says that the temperature of the sea in the neighborhood has been raised 3° above that prevailing in ordinary years.

The number of students in German universities last summer is reported, says Science, to have been 29,802; in 1895 it was 28,709, so that the numerical increase for the present year is 993, or 3.5 per cent. The distribution of the students among the various universities was as follows: 4,649 in Berlin, 3,777 in Munich, 2,876 in Leipzig, 1,863 in Bonn, 1,425 in Breslau, 1,415 in Halle, 1,379 in Freiburg, 1,339 in Würzburg, 1,172 in Tübingen, 1,164 in Heidelberg, 1,138 in Erlangen, 1,007 in Göttingen, 965 in Marburg, 948 in Greifswald, 938 in Strassburg, 761 in Jena, 708 in Kiel, 700 in Königsberg, 630 in Giessen, 500 in Rostock, and 420 in Münster. The number of students at Vienna was 2,228, but only 1,370 of these were regular students.

M. Moissan has recently carried on certain new experiments relating to the preparation of the diamond. He says: "A new combustion was made of diamonds prepared in part by means of small cylinders filled with charcoal of sugar, and partly by means of metallic blocks of iron and copper. These two procedures furnished the purest diamonds. They sank in methylene iodide, scratched rubies with ease, and contained no black diamonds. The weight of the diamonds was 5.7 mgrm.; when burnt, they left a trace of ash, the weight of which could not be appreciated with the balance. We collected 20.5 mm. of carbonic acid. Theory requires for 5.7 mgrm. 20.9 mm. This substance responds to the fundamental property of carbon, yielding for 1 grm. of substance 3.666 grm. of carbonic acid."


Lieut. De Gerlache, the leader of the projected Belgian Antarctic expedition, says that it will start from Antwerp about July 15 next. The steamer Belgica will carry a three years' supply of provisions, and will probably be absent about two years. During the first year the expedition will go to the east of Graham Land in George IV Sea, and then winter in Australia. The second year they will probably go in the direction of Victoria Land. "We intend," the lieutenant says, "more especially to devote ourselves to geological and zoological research, taking for this purpose specimens from the various sea depths and the submarine deposits. We shall also estimate the sea temperature at different depths, and, in short, make researches similar to those by the Challenger and other Antarctic expeditions."

The ordinary pictures and diagrams of icebergs—even those that occur in standard text books—are impossible and absurd, according to Mr. Goode. He says, in a letter to Science: "When we stop to think that an iceberg is merely a floating piece of ice, free to move in the mobile liquid water, we shall see at a glance that, to be in stable equilibrium, the shortest dimension must be vertical. A berg as large as shown in some of these amusing cuts could not be kept in position by a whole fleet of great ships with grappling hooks and cables. It is true that in some cases the artist has fitted blocks of stone into the ice near the bottom. But this has been done, very probably, to show the ice as an agent in transportation, and not in any case has he put ballast enough there to hold the berg down." The writer gives a list of some standard works that contain these false and misleading pictures.

The republic of Venezuela has granted a concession to the National Association of American Manufacturers, whereby the latter, on behalf of the manufacturers of this country, are authorized to erect in the cities of Caracas, Valencia, Maracaibo, and Ciudad Bolivar, buildings or museums for the permanent exposition of all goods from American manufacturers. The purpose of these expositions is to give the Venezuelans an opportunity of formally inspecting and comparing our goods with those of the old world. Consul Plumacher, United States consul at Maracaibo, says that England, France, and Germany overrun South America with commercial traveling agents, mostly energetic young men, well versed in the Spanish language and customs of South American people, but that a commercial traveler for an American house is seldom seen in the country. The American association very properly argued that permanent expositions are far cheaper than employing traveling agents, and it is expected that the arrangement which has just been consummated will be of great benefit to manufacturers of this country. In order to facilitate these expositions, the Venezuelan government has agreed that all goods from this country for either of said expositions shall be admitted free through the custom houses, the regular duties upon importations to be paid only upon the sale of the goods imported.

AN IMPROVED PIPE WRENCH.

The simple, strong, self-adjustable tool shown in the illustration forms the subject of a design patent recently issued to W. T. Johnston, and manufactured by W. T. Johnston & Company, of No. 32 Cortlandt Street, New York City.



THE JOHNSTON PIPE WRENCH.


It is a strictly high-grade tool, made of the best drop forged steel. There are only three pieces or parts in the tool, all strong and well proportioned, and the facility with which, from the special formation of the jaws, it may be made to engage and firmly grasp any size of pipe within its capacity is apparent at a glance. There are two sizes of teeth in the fixed jaw, the coarser outer and the finer inner teeth of which also aid in enlarging the usefulness of the tool. The wrench is made in various sizes, and size No. 16 takes from one-quarter inch pipe to one and a quarter inch pipe, a wide range of duty for a tool so readily applied.

Neglected Drugs.

On the analysis of 27,000 prescriptions recently made by Prof. Patch, President of the American Pharmaceutical Association, it was shown that the pharmacopœia was sadly neglected by physicians. Only seventeen vegetable drugs were prescribed, and more than 100 drugs of vegetable origin neglected. Ten metals were honored, but more than ten were left out in the cold. In the study of 217,000 prescriptions from nineteen drug stores distributed in Chicago, Philadelphia, Bayonne, New York, Boston, Washington, Baltimore, Denver, San Francisco, New Orleans, Cincinnati, and St. Louis, 11.25 per cent were proprietary articles, not including many elixirs, pills, tablets, fluid extracts, etc. which were of specified manufacture.

A NOVEL NAUTICAL REGISTERING APPARATUS.

For registering the course of a vessel on a globe or map, and also indicating its course, the apparatus shown herewith has been devised and patented by Pedro Samohod, of Lima, Peru (Nazarenus 145). Tubes with outwardly projecting branches extend



SAMOHOD'S NAUTICAL REGISTERING APPARATUS.

toward the bow and stern, at the bottom of the vessel, and in the main rear tube slides a rod carrying a small piston, which does not engage the walls of the tube. The two tubes are connected with a central casing from which a pipe runs upward in the vessel, and a cord attached to the inner end of the rod carrying the piston extends over pulleys and up through this pipe to a connection with the hand of a speed indicator on a dial. The cord passes through and is connected

with a spring-held disk in a semicircular sleeve, the spring drawing the piston forward against the action of the water flowing through the apparatus, and the piston and the indicator hand, accordingly, assuming different positions according to the speed of the vessel. Where the main forward or inlet tube enters the casing is journaled a small turbine wheel which, by means of bevel gears, drives a shaft which extends up through the pipe and operates a transmission gear connected to a ball adapted to rotate about a horizontal axis, and which supports a globe, other balls in sockets at the sides holding the globe steady.

By this means the globe is rotated as the vessel advances, and the course is indicated by a pencil or marker attached to the under side of the speed dial, but for other than a straight course the globe must be correspondingly rotated about a vertical axis, which is effected by balls engaging its sides and secured to vertical shafts adapted to be turned through a cord and pulley connection with a hand wheel, a portion of this mechanism being also connected with an adjustable pointer adjacent to the ship's compass. As an attendant turns the hand wheel, so that the pointer will remain in registry with the needle of the compass, the globe is also turned about its vertical axis, and a correct record is thus made of the voyage. To clean the casing and tubes at the bottom of the vessel, end valves in the tubes are closed and the casing is connected to a pump by which its contents are discharged. The position of the globe in relation to the marker is adjusted at the beginning of each voyage, and the record on the globe is always in view.

Speeding a Locomotive.

At sixty miles an hour the resistance of a train is four times as great as it is at thirty miles—that is, the fuel must be four times as great in the one case as it is in the other. But at sixty miles an hour this fuel must be exerted for a given distance in half the time that it is at thirty miles, so that the amount of power exerted and steam generated in a given period of time must be eight times as great at the faster speed. This means, says a contemporary, that the capacity of the boiler, cylinders, and the other parts must be greater with a corresponding addition to the weight of the machine. Obviously, therefore, if the weight per wheel, on account of the limit of weight that the rails will carry, is limited, we soon reach a point when the driving wheels and other parts cannot be further enlarged, and then we reach the maximum of speed. The nice adjustment necessary of the various parts of these immense engines may be indicated by some figures as to the work performed by these parts when the locomotive is working at high speed. Take a passenger engine on any of the big railroads. At sixty miles an hour a driving wheel five and one-half feet in diameter revolves five times every second; now, the reciprocating parts of each cylinder, including one piston rod, crosshead and connecting rod, weighing about 650 pounds, must move back and forth a distance equal to the stroke, usually two feet, every time the wheel revolves, or in a fifth of a second. It starts from a state of rest at the end of each stroke of the piston, and must acquire a velocity of thirty-two feet per second in one-twentieth of a second, and must be brought to a state of rest in the same period of time. A piston eighteen inches in diameter has an area of 54½ square inches. Steam of 150 pounds pressure per square inch would, therefore, exert a force on the piston equal to 38,175 pounds. This force is applied alternately on each side of the piston ten times in a second.—Boston Journal of Commerce.

Recent Archaeological News.

Recent excavations made by the trustees of the British Museum in Cyprus give an acquaintance with what was the site of Curium, which was built on the summit of a rocky elevation "some 300 feet above the sea, and was almost inaccessible on three sides." The special feature has been the discovery of a necropolis dating from what is called the Mycenaean period. In the Mycenaean tombs were found primitive races of the pre-Phenician time. But other and more valuable objects have been discovered, as a sard scarab bearing the name of Khonsu—which would make its date somewhere between the years 660 and 527 B. C.; also, there was a Phenician cylinder, the date of which cannot be earlier than 600 B. C. The choicest object was a steatite scaraboid of masterly execution. Finger rings, earrings, bronze bracelets, plated with gold, a necklace of delicate workmanship, have also come to light. Some of the vases are believed to be of Grecian make.

An explorer recently found in Egypt a bronze bowl and a series of iron tools of forms quite unlike any known in Egypt, and they are thought to belong to an Assyrian armorer about 670 B. C. These tools, comprising three saws made for pulling, not pushing, one rasp, one file, several chisels and ferrules, a scoop-edged drill, two center bits, and others, are of the greatest value in the history of tools, as showing several forms of an earlier date than was thought possible. They are probably of Assyrian origin.

Recent Patent and Trade Mark Decisions.

Richardson v. Lidgen (Commissioner's Decision), 77 O. G., 153.

Abandonment.—Where a part of an application was separated from the remainder and an application was made for such part and applied for more than two years after the separation of the two, but while the first application was still pending, it is held that there was no abandonment.

Ex parte Flomerfelt (Commissioner's Decision), 76 O. G., 2,007.

Effect of Extensive Sales on Patentability.—Where the patentability of a device is not clear, extensive sales may resolve the doubt of patentability in favor of an application, but it is an unsafe criterion and must be carefully applied.

Cook v. Stover (Commissioner's Decision), 76 O. G., 2,007.

Disclaimer in Interference Proceedings.—Where a party to an interference proceeding desires to disclaim, he must enter the disclaimer in his specification.

Ex parte Bryant (Commissioner's Decision), 77 O. G., 451.

Reissue to Broaden Claims.—Where an applicant acquiesces in the limited construction put on his invention and at no time during the prosecution of his original application intimated that the invention resided in the broad device sought to be claimed in the reissue application, it is clear that the failure to make the claim in the original patent did not arise through inadvertence, accident or mistake, and the reissue must be refused.

Phelps v. Hardy v. Gotman & Stern (Commissioner's Decision), 77 O. G., 531.

Amending a Divisional Application.—In a divisional application the addition of mere details, such as braces for frame, is not objectionable, especially when such details were shown in figures of the original that were not shown in the divisional application.

Who Shall First Take Testimony in an Interference Case.—Where a party divided an application and filed a divisional application on a part thereof later, and in the meantime an interfering application was filed, the party who filed the divisional application is entitled to carry his date back to the time when he filed his original application, thus making the other party take his testimony first.

Constructive Reduction to Practice.—The filing of a complete allowable application was regarded as a constructive reduction to practice, but neither an executed application merely nor a complete application is so considered.

Loewer v. Ross (Commissioner's Decision), 76 O. G., 1,711.

Actual Reduction to Practice.—A device which showed every feature of an invention in controversy and was adapted to perform the work for which it was intended and actually did such work, although it was not commercially perfected and did not work as efficiently as later devices, is held to have been a reduction to practice.

Reissue After Intervening Rights Arise.—If it appeared that other parties were using the subject matter not claimed in a patent, a reissue to recover such matter cannot thereafter be obtained.

Sievert v. Shuman (Commissioner's Decision), 76 O. G., 1,715.

Binding Effect of a Preliminary Statement.—A preliminary statement made in an interference proceeding binds the party only in proceedings in which the same parties are involved.

Motion to Dissolve an Interference.—A motion to dissolve an interference can only be made after the declaration of interference and not while such declaration is being considered.

Ex parte Weaver (Commissioner's Decision), 76 O. G., 1,715.

Reissue to Cure a Mistake of the Patent Office.—Where an application is filed for a reissue to cure a mistake of the Patent Office, a full re-examination of the case may be made, as it would not be proper to reissue a patent when it is known that a statutory bar exists.

Jenkins v. Burke (Commissioner's Decision), 77 O. G., 972.

Impertinent Testimony in Interference Case.—Testimony relating to the character of the parties is not evidence regarding the priority of invention and it should therefore be stricken from the record.

Recalling Witness.—There is no rule against recalling a witness in a case, although it is a circumstance that may touch his credibility.

J. G. Brill Company v. Wilson (U. S. C. C., Pa.), 75 Fed., 1,002.

Street Railway Summer Cars.—The Brill patent No. 315,898, consisting mainly in the use of metal instead of wooden panels for the ends or sides in car seats has been declared void for lack of invention.

Union Switch and Signal Company v. Pennsylvania Railway Company (U. S. C. C., Pa.), 75 Fed., 1,004.

Preliminary Injunction.—Preliminary injunction

should not be granted where the patents in suit have not been judicially considered and involve complicated apparatus about which experts differ radically both in matters of opinion and matters of fact, and where the question of infringement depends largely upon the construction to be given to the claims in view of the prior art.

Thomson-Houston Electric Company v. Kelsey Electric Railway Specialty Company (U. S. C. C. A., 2d), 75 Fed., 1,005.

Contributory Infringement.—An injunction against one who, by his advertisements and course of business, shows a willingness to co-operate with an infringer who may present himself, by making and selling to him a device or element of a patented combination to be used in connection with other parts obtained from a different source.

Electric Railway Trolleys.—The Vandepoele patent, No. 495,443, for an improvement in traveling contacts for electric railways, to furnish to the user of the invention a trolley stand, which is one of the elements of the combination to replace the original stand which has become broken or otherwise useless, does not constitute an infringement of the patent.

Infringement.—One who purchases the apparatus covered by the Vandepoele patent, No. 495,443, has a right, immediately thereafter, to discard the element known as the trolley stand, and purchase from another a different stand which he thinks is better suited to his purpose.

Cassidy v. Hunt (U. S. C. C., Cal.), 75 Fed., 1,012.

Fruit Drying Apparatus.—The Cassidy patent, No. 172,608, has been held valid.

Damages for Infringement in Actions at Law.—In actions at law the plaintiff can recover only for the damages he has sustained, and not defendant's profits. If the royalty is shown to have been established, it is usually taken as the measure of damages, but in the absence of an established royalty what would be a reasonable royalty must be determined, and in determining this it is proper to consider the utility and advantage of the invention over the prior art, and the profits made by the defendants may be considered in arriving at a just conclusion.

Clarke v. Pellengill v. Crancer (Commissioner's Decision), 77 O. G., 1,271.

Petition for Rehearing.—A petition presented to the commissioner asking that the examiner of interference be directed to reconsider his decision relating to priority, because such decision is a travesty on equity practice, a gross injustice, in direct contradiction of the evidence, and in excess of the powers of the examiner, is wholly unjustifiable, specially when the record discloses that the examiner acted with deliberation and apparent fairness.

The Heavens for January.

BY WILLIAM R. BROOKS, M.A., F.R.A.S.

THE SUN.

On January 1 the sun's right ascension is 18 h. 50 m. 32 s.; and its declination south of the celestial equator is 22 deg. 56 m. 45 s.

On the last day of the month its right ascension is 20 h. 58 m. 28 s.; and its declination south 17 deg. 9 m. 43 s. So, as will be seen, the sun is well started on its northward journey, being six degrees farther north than on December 21.

MERCURY.

Mercury is evening star during the early portion of the month, but its extreme southern declination renders it a somewhat difficult object to pick up with the naked eye. The most favorable time to see this shy little world, always so closely embraced by the great central orb, is on January 6. It will be on that date at its greatest elongation eastward from the sun, viz., 19 deg. 9 m. From thence Mercury sweeps rapidly toward the sun, with which it is in inferior conjunction on the morning of January 22, at 10 o'clock, when it changes to morning star.

Mercury is in conjunction with the moon on the fourth of the month at 34 minutes past noon, when the planet is only 8 minutes of arc south of the moon. It is again in conjunction with the moon on the last day of the month at 3 A. M., when Mercury will be 5 deg. 11 m. north of the moon.

On the first of the month Mercury crosses the meridian at 1 h. 23 m. in the afternoon. On the last of the month at 10:58 A. M.

VENUS.

Venus is evening star, and a most glorious object it is in the southwestern heavens, soon after sunset. It is still increasing its apparent distance from the sun, as seen from the earth, and its splendor increases also throughout the month.

Venus is in conjunction with the moon on the sixth of the month at 2 h. 14 m. in the afternoon, when the planet will be 3 deg. 7 m. south of the moon.

On January 1 Venus crosses the meridian at 3 h. 0 m. in the afternoon, and on the last day of the month at 3 h. 8 m. P. M. The right ascension of Venus on the first of the month is 21 h. 47 m. 23 s.; declination south 15 deg. 10 m. 37 s.

On January 31 its right ascension is 23 h. 53 m. 27 s. and its declination south 0 deg. 34 m. 58 s. On the succeeding day Venus crosses the celestial equator. It sets on the first at 8 h. 5 m. P. M. and on the last day of the month at 9 h. 6 m. P. M.

MARS.

Mars is evening star and is at a good elevation in the eastern sky as soon as it is dark. By eight or nine o'clock good telescopic work may be done upon this interesting celestial neighbor. Although Mars passed opposition in December, when it was at its nearest approach to the earth, practically as good views may be obtained of this planet during the next few weeks as at opposition. Much remarkable detail has been detected upon Mars by the writer during the past ten days, with the 10 inch telescope of this observatory.

Mars is in conjunction with the moon on the fourteenth at 10 h. 21 m. P. M., when the planet will be 1 deg. 42 m. south of the moon. The apparent motion of Mars has been retrograde for some time, but on January 16 the planet is stationary to the west of the horns of Taurus.

On the first of the month Mars crosses the meridian at 9 h. 56 m. P. M., and sets at 5 h. 35 m. the following morning. On the last of the month it sets at half past three A. M. The right ascension of Mars on January 15 is 4 h. 38 m. 19 s. and its declination north 25 deg. 9 m. 51 s.

JUPITER.

Jupiter is morning star, but it rises so early that it may be well observed by midnight. It is improving in position for telescopic study, and will be an attractive object during the early months of the year.

The following are some of the interesting phenomena of the satellites. All are observable in small telescopes. On January 1, at 11 h. 33 m. 42 s. P. M. the I satellite will disappear in eclipse. At 12 h. 1 m. 56 s. the II satellite will also disappear in eclipse. At 2 h. 54 m. morning following, the I satellite will reappear from an occultation; and at 5 h. 1 m. the II satellite will reappear from an occultation. On the morning of January 9 at 1 h. 26 m. 44 s. the I satellite will disappear in eclipse. At 2 h. 38 m. 6 s. the II satellite will disappear in eclipse. At 4 h. 41 m. the I satellite will reappear from an occultation. On January 14 at 9 h. 6 m. P. M. the III satellite will reappear from an occultation. At 10 h. 33 m. the shadow of the IV satellite will enter upon the disk of the planet, and at 3 h. 15 m. the next morning the shadow of satellite IV will pass off the disk. On January 18 at 9 h. 22 m. P. M. the shadow of the I satellite will egress; and at 10 h. 9 m. the satellite I will pass off the disk. On January 25, at 8 h. 56 m. P. M., the shadow of the I satellite will ingress; at 9 h. 36 m. the satellite I will enter in transit. At 11 h. 16 m. the shadow will egress; and at 11 h. 54 m. the satellite I itself will leave the disk of Jupiter.

On January 31, at 9 h. 10 m. the shadow of satellite IV will leave the disk. At 9 h. 42 m. the satellite IV will enter on the disk. At 1 h. 34 m. 44 s. morning following the I satellite will disappear in eclipse. At 1 h. 55 m. the egress of the IV satellite will occur. At 4 h. 23 m. the I satellite will reappear from an occultation. At 4 h. 48 m. the shadow of satellite II will ingress and at 5 h. 53 m. the II satellite itself will enter on the disk in transit.

Jupiter rises on the first of the month at 9 h. 30 m. P. M. and is on the meridian at 4 h. 3 m. the following morning. On the last day of the month it rises at 7 h. 15 m. P. M. and crosses the meridian at 1 h. 54 m. past midnight.

The right ascension of Jupiter on January 15 is 10 h. 45 m. 57 s. and its declination north 9 deg. 9 m. 28 s.

SATURN, URANUS AND NEPTUNE.

Saturn is morning star, but is not well placed for observation, especially at the beginning of the month, when it rises at 4 A. M. On the last of the month it rises at 2 h. 10 m. A. M.

Uranus is not in good position for observation. Neptune is in the eastern evening sky, its right ascension on January 15 being 5 h. 8 m. 9 s., declination north 21 deg. 28 m. 57 s.

Smith Observatory, Geneva, N. Y., December 21, 1896.

The First Daily Weather Map.

One of the important dates in meteorology, about which there has been a good deal of dispute lately, is that which marks the issue of the first daily weather map, says R. De C. Ward in Science. The credit of having been the first to publish such a map has been generally given to Le Verrier, who, on September 16, 1863, began the issue of a daily weather map in Paris. It is a fact, however, that twelve years before that, in 1851, a weather map based on observations made on the day of its publication was issued and sold in the great exhibition in England. The data for the map were collected by telegraph, and its publication was continued from August 8 to October 11, 1851, Sundays excepted. This was without doubt the first daily weather map. The September number of Symons' Meteorological Magazine contains a reproduction, about one-quarter the size of the original, of the Great Exhibition map of August 8, 1851.

The Production of British Pig Iron.


Many estimable people surveying the statistical evidence of national progress and retrogression appeared to have made up their minds that the industrial prestige of Great Britain was slowly but surely waning, because we seemed to have lost our supremacy as an iron making nation and to have yielded up our priority of position to the United States and to some extent also to Germany. To such persons it may come as an agreeable surprise to learn that the output of pig iron in Great Britain for the first half of 1896, as ascertained by the British Iron Trade Association, places us once more in the front rank as an iron producing country. Our total make of pig iron for the first half of the past year was 4,328,444 tons, which is a larger output than we have ever before attained in six months. This output, however, is not equal to that reached by the United States in the same period. With the commencement of 1896 the output of pig iron in the United States was at the rate of about 11,000,000 tons a year, but since then the output has fallen month by month, until it is estimated that it does not now exceed a rate of 6,500,000 tons a year, while the output for the twelve months, assuming the continuance of the present rate of production, has been estimated at less than 8,500,000 tons, which would, of course, be less than the British output for the same period, assuming the maintenance of the rate of output during the first six months of the year. As for Germany, which is the next largest iron producing country after Great Britain and the United States, the production up to the present time justifies the belief that the total output of pig for the year will be about 6,000,000 tons, or approximately about 2,500,000 tons under the output of the United Kingdom, from all of which it seems reasonable to expect that at the end of 1896 our own country will have fully reasserted its old supremacy.

The most striking features of the progress that has been achieved in the pig iron industry of the United Kingdom during recent years has been the increased productivity of the plant employed owing to improvements of design and methods of working that almost amount to a revolution. A quarter of a century ago there were 915 blast furnaces erected in this country, of which 688 were in operation. These 688 furnaces produced in 1871 an average output of 8,665 tons per furnace and consumed an average of nearly $2\frac{3}{4}$ tons of coal per ton of pig iron produced. In 1895 the average production of the 344 furnaces in operation in the United Kingdom was 22,700 tons, and the average consumption of coal per ton of iron produced was 1.97 tons, so that in the interval the average output per furnace had increased by about 165 per cent, and the average consumption of coal per ton of pig iron produced had been reduced by about three-quarters of a ton. Even these figures, however, do not represent the full measure of the advance that has been accomplished during this period. In some districts the progress has been much greater than in others, and the maximum of progress achieved in a few individual cases points to what might have been done in the way of still greater progress and indicates what may be expected.—London Times.

In a recent number of the SCIENTIFIC AMERICAN a new element lucium was described. It now appears that this element and its application to incandescent gas lighting have been patented. The patentee claims that lucium exists in monazite sand to the extent of 1.80 per cent. Evidently Berzelius, Davy and others, who gave their discoveries to the world, were not alive to their opportunities.

BLOWN GLASS BRICKS FOR BUILDING PURPOSES.

A feature of the recent Stuttgart exhibition which attracted considerable attention was a display of buildings which were constructed of what is known as the Falconnier's blown glass brick, so named after the inventor, a French gentleman. The bricks are blown hollow in the same way as a bottle, the color

**FALCONNIER HOLLOW GLASS BRICK.**

which is most commonly used being a very light bottle green, bottle glass being the strongest; though yellow brown or other shades of green may be used if desired. The standard brick is 5 inches wide, 8 inches long, and 4 inches thick, and is formed in the shape shown in the accompanying illustration. When it is used for walls, or such structures as have to carry a

winding stout wire around the joint grooves in such a way that it will pass under one brick and over the next, the course of the next wire being reversed. A similar set of wires is wound in the cross direction, so that the bricks are really set in a wire network into which they are securely cemented.

When large walls or arched roofs are made of these bricks it is necessary to make allowance for expansion, especially if the work has been done in cold weather. For this purpose the edges of the bricks are covered with a thin layer of glue, which is subsequently destroyed by the cement between the bricks and leaves sufficient space for their expansion in hot weather.

It is claimed that they are permanently translucent, and that they have the advantage over double glass windows that they do not admit damp or dusty particles, and never tarnish. The surfaces, exterior and interior, are so ribbed and curved that while abundance of light is admitted, it is impossible to see through them. On this account they may be used where an ordinary window would be objectionable, as in the case of a window that looks into those of a neighboring house. Perhaps the most valuable feature of these bricks is that the air which they contain is an excellent non-conductor of heat, and tends to keep a house cool in summer and warm in winter, and, of course, damp will find it difficult to pass through a wall built of this material. On account of its non-conductivity this material is admirably adapted to the construction of greenhouses, and it lends itself to some remarkably picturesque effects in this class of construction, the roofs being built in arched or dome-like forms. It is also used to advantage in the construction of pavilions, such as the one shown in our engraving, or of city restaurants and places of public resort, where light shall be admitted, but a view of the interior shall be impossible.

Messages by Kite Wires.

William A. Eddy, Dr. William H. Mitchell and Henry L. Allen sent the first kite telephone and telegraph message in the world over a midair wire, sustained by three large kites, on the evening of December 6, 1896, in Bayonne. Morse sounder telegraph signals were also sent by means of a battery.

The wire was carried aloft by the kites beyond three lines of trees, two roadways, one line of fire alarm telegraph wires, one line of regular telegraph wires and a house. A red lantern was attached to an end of wire passing through a pulley, held at a height of about five hundred feet, and paid out upward and beyond the intervening obstacles. When the lantern had been carried over the line of Lexington Avenue it was slowly lowered, carrying the wire with it to the earth, where Dr. Mitchell soon established ground connections at each end of the wire, when the first telephone message was received by Mr. Eddy. Dr. Mitchell's voice was heard with perfect clearness. A telegraph signal by the usual Morse sounder was also successfully transmitted. The telephone messages and telegraph signals were continued about an hour and a half. Those using the telephone were William A. Eddy, Mrs. Eddy, Henry L. Allen, George S. Bogert and F. M. Wilson, all of Bayonne. The kites were sent up at 4:30 p. m., the telephone wire at 8 p. m., and both kites and wire were drawn in by 11:30 p. m. Delay was caused by two of the lowering lanterns falling about five hundred feet, the lower-

**PAVILION CONSTRUCTED OF BLOWN GLASS BRICKS.**

quiet load, the bricks are laid as shown in our view of an ornamental pavilion, and cement is used in the joints, which are hollow. But when the bricks are used in roof work, or where the finished work will be subjected to bending strains, the cement is assisted by

ing wire having broken owing to a jam in the pulley, and by the wind, which was so light from the southwest that for a time the lifting force was insufficient. Mr. Eddy says the wire can be carried across the Kill von Kull readily, especially with northerly winds.


THE PHILOSOPHY OF PLANTS.

It is well known that most animal organisms need the direct influence of sunlight for their proper development, and in the same way plants and, in fact, all life on earth, depend on the action of this wonderful agent. The beautiful structure of plant cells, the study of which constitutes the most interesting part of plant biology, has never been properly understood until now; but men like Liebig and others have determined the peculiar use of the cells in the life of plants and have also included in their investigations, as of equal importance, the processes of nutrition. Present knowledge shows that plants take from the atmosphere what is needed for the formation of the cells, and also throw off useless material through the leaves. Thus carbon is taken up by the leaves, which transform, under the influence of sunlight, the carbonic acid taken from the air and through the roots into carbon and oxygen. Water and salts are also taken up by the roots of the plants.

The various ways in which the sunlight affects the leaves and blossoms, and consequently the whole development of a plant, must be considered in the study of plant physiology.

It is well known that sunlight has a decided influence on the coloring of the leaves, which look sickly and pale when the plant has only a little sunlight, whereas strong sunlight increases the amount of chlorophyll, thereby giving the leaves a richer color. Referring to the influence of sunlight, we may with propriety speak of the rays that work chemically, others which act simply as dispensers of heat, while still others are simply light rays, even though there is not actually such a division in nature. The chemical action of the sun's rays can be best understood by the wonders of photography, and we certainly cannot go astray in assuming that certain rays of the sun's spectrum also have a special influence on the plant cells, which will, doubtless, affect the plants of the different species differently, for the conditions of light and heat impress themselves clearly on the character of the plants.

Former observations have already proved that certain rays of the sun's spectrum have a harmful effect on plant organisms, while, on the other hand, others accelerate the circulation of the sap and the assimilation of nourishment, thus promoting the growth of the plant. A recent experiment made by the well known French physicist, Camillo Flammarion, at the Agricultural and Climatological Experiment Station, at Juvisy, indicates plainly the effect of different colored light upon plants, and the result is of special value, practically and theoretically, to plant physiologists and climatologists. It has been clearly shown by the various experiments that ordinary "colorless" light is represented by natural sunlight, because, when exposed only to it, health and natural growth reign. Colored light, according to the particular color used, causes either one sided acceleration or retardation of the development of the plant. In his most interesting experi-

**EFFECT OF DIFFERENT COLORED LIGHT RAYS UPON PLANT LIFE.**

ment, Flammarion adopted the plan of exposing sensitive plants (*Mimosa sensitiva*), which he raised from seed, to different colored light. These plants are specially sensitive to the effect of light and to touch, and were, therefore, well adapted for Flammarion's experiment.

He planted a number of seeds, and the seedlings, after they reached a height of about one inch, were

the blue light was most marked. The leaves of the latter were, indeed, dark green, while the leaves of those subjected to the red light were pale, poor in chlorophyll, but the plants themselves seemed unhealthy and stunted; they had gained nothing in height since they were placed under the blue glass. Therefore, it was proved that the blue light was not only an impediment, but an actual injury



to vegetation. The effect of the red light was noticeable, not only in the growth of the plants, but also in their sensitiveness, for even the slightest touch, a breath, was sufficient to cause the leaves to close and the little stems to droop. The plants exposed only to white light were not so easily affected, and those raised under blue glass were not at all sensitive. Those raised under white light must be considered normal. They were more stocky and showed a greater tendency to bud, but the buds did not open.

Flammarion extended his experiments to other kinds of plants, such as geraniums, strawberries, etc., but in all cases blue light proved injurious to vegetation, and plants that were exposed to its influence for months showed no development. All the functions of the plant organism seemed to be suspended. The fruit of strawberry plants developed under bells of different colors, but varied considerably in size and quality, as in some cases the leaves were developed at the expense of the fruit, and in other cases, as when the plants were exposed to blue light, growth was impeded in every way.

By making these investigations Flammarion has given an impulse to the study of the subject, and new results will be obtained which will be of practical use in gardening and the propagation of plants.—Der Stein der Weisen.

COMPRESSED AIR RECOIL CYLINDERS FOR HEAVY MORTARS.

Despite the theoretical drawbacks attendant upon the use of compressed air, it has features which

**MORTAR IN THE LOADING POSITION.****MORTAR ELEVATED FOR FIRING.**

render its use desirable for certain special classes of work. We present in this issue cuts of a heavy mortar, whose recoil cylinders are designed to be operated by compressed air. The design was worked out by Mr. H. A. Spiller, of Boston, Mass., to whom we are indebted for the particulars.

The carriage consists of a lower and upper racer bed, the upper circular bed supporting the two cheeks of the carriage, which are secured in position by a cross key 3 inch by 1 inch and eighteen 1.5 inch bolts in each cheek. These cheeks are provided with trunnion bearings with caps 30 inches in diameter and 6.5 inch face, for the reception of the trunnions formed on plates connecting in pairs the recoil cylinders.

The four recoil cylinders, 8.5 inches in diameter, are arranged in pairs on each side. They are connected by plates 2.5 inches thick and are provided with horizontal ways 7 inches wide on the sliding face between the cylinders and frames, having crossheads in which the outer ends of the hollow piston rods are secured, and they also carry trunnion bearings for the reception of the trunnions of the mortar. At each end of the lower recoil cylinders is a 1.5 inch pipe connected to same for equalizing the pressure. The hollow piston rods, four in number, 4.5 inches in diameter, extend rearward from lugs on the sliding frame through especially prepared packed glands in the heads of the recoil cylinders, and they are provided with conical valve rods, 2 inches in diameter at the large end,

whereby a portion of the air below the piston is admitted to the space above the chambered heads. When the gun is fired, the recoil is taken up by means of the cushion of compressed air, and the arrangement allows a sufficient amount to pass to the forward ends of the cylinders to nearly form an equilibrium of pressure on both sides of the pistons, thereby taking up the counter recoil and forming a positive elastic cushion by which the dead weight of the gun is supported. On these recoil cylinders cast in pairs, and on the opposite side of the 2.5 inch plate from the recoil cylinders, is cast a trunnion 30 inches in diameter which supports the plates and the two cylinders. This trunnion fits into the side cheeks mentioned above, which the mortar and recoil mechanism swings on. At the right hand side, and in the center of this trunnion, there is a gage connection and a charging pipe which may connect with a portable or fixed receiver, charged with a suitable pressure to give 750 pounds initial pressure in the recoil cylinders; as the area of the four hollow piston rods must be depended upon to lift the mortar into battery at its highest elevation, this said pressure must not be lower than 650 pounds.

During its recent test by the government the carriage showed itself to be certain and regular in its action, and its service was attended by no accident or drawback of any description. A knowledge of its merits for practical use in our sea coast fortifications can, however, only be obtained by comparing it with similar

carriages which have been tested by the government. These are the carriages already adopted for service, a large number of which are now mounted in their batteries, and the Gordon mortar carriage. Either of the latter, so far as its practical manipulation for loading, elevating and traversing is concerned, differs in no essential particular from the pneumatic carriage which is the subject of this report; the comparison is therefore reduced to a consideration of the relative merits of oil and compressed air in controlling the recoil. An extended experience during many years in firing hundreds of rounds in all possible conditions of temperature and weather has shown that the former method involves the simplest possible appliances, which are easily kept in order and ready for action without strain on any part of the system except at the instant of firing. The care of the carriage and its manipulation in service require no skilled labor and involve operations easily understood by the average artillery soldier. At a test of the rapidity of fire it may be mentioned that ten rounds were fired in 22 minutes 20 seconds.

AN explosion occurred on Saturday afternoon, December 12, in the Moabit quarter of Berlin, in the house of the scientist George Isaac, who was experimenting with the manufacture of acetylene gas. Isaac and three assistants were killed. It is stated that Emperor William had intended to visit Herr Isaac's laboratory, as his experiments had attracted the emperor's attention.

RECENTLY PATENTED INVENTIONS. Engineering.

BOILER.—Lewis M. Barlow, Donaldsonville, La. To prevent the formation of scale in the shell, and to facilitate the discharge of impurities accumulating in the mud drum, this inventor has devised a boiler in which a stand pipe leads from the bottom of the boiler shell to the mud drum, near one end of the shell, while a feed pipe discharges into the other end of the shell, near its bottom, in a direction toward the stand pipe. In the drum are nipples leading from near its bottom to a transverse pipe extending through one end of the drum to the outside, by means of which, on the opening of a valve, the impurities in the drum are discharged.

Railway Appliances.

CAR FENDER.—Mariano Sparmo and Louis Russo, New York City. This is a fender which may be readily moved from one end of the car to the other, and is light, strong and durable. It is made in sections, and may be folded upon itself when not needed, but when brought in contact with a person or object while in folded position, the sections are released, and forward spring-controlled sections move automatically into position to pick up a person or object in the way of a moving car, transferring such obstacles from a point close to the ground to the fender, which is of basket form. The forward part of the fender on receiving a weight, has rolling connection with the ground, and, in striking a slight projection, rises sufficiently to pass over it without injury.

STREET CAR GONGS.—Thomas Kelly, New Orleans, La. This invention is for an improved device for automatically actuating car gongs while the car is in motion, the motorman sounding the gong as desired when the car is at a standstill. A lever is vibrated by a projection on the car axle, the lever being connected with a striker and the latter being also connected with a foot piece under the control of the motorman, while a spring yieldingly connects the several parts.

Electrical.

ELECTRIC RAILWAY.—Andrew C. O'Connor, Lynn, Mass. According to this improvement, positive and negative conductors are carried overhead on insulated supports, whereby the current is conveyed from the power station to and from the car motor without employing the ground as a conductor. Poles on opposite sides of the track support cross bars carrying the conductors, and insulated swinging arms having rollers at their lower ends are connected at their upper ends with the conductors. Supports on the top of the car carry two conducting bars adapted to engage the rollers carried by the hanging arms, the bars being insulated from each other and connected with the motor of the car. As the car moves along the bars make contact with the rollers in advance before dropping the pair already engaged at the rear.

Mechanical.

COUNTERSHAFT AND BELT TIGHTENER.—Engene C. Weston, Gallatin, Mo. According to this improvement, an independent shaft mounted in hanger bearings has rigidly connected hanger arms which support a countershaft on which are two fixed pulleys, the first shaft also carrying a rigidly connected arm on which is a segmental gear engaged by a worm on a vertical shaft supported by one of the prime hangers, there being a hand wheel on the lower end of the vertical shaft. Belt guides are arranged in connection with the pulleys on the countershaft, and the countershaft and its parts are carried upward or downward, to tighten the belts or throw the countershaft out of action, by turning the hand wheel on the vertical shaft carrying the worm. The improvement dispenses with loose pulleys and is designed to effect great saving in the wear and tear of belts.

Miscellaneous.

CLEANING SHIPS' BOTTOMS.—Charles P. Turner, New York City. A scouring brush designed to facilitate doing this work rapidly and effectively has been devised by this inventor. It comprises a casing made in sections, designed to adapt itself to the shape of the hull, and containing a flexible shaft carrying at its outer end a revoluble brush, the outermost section of the

casing being connected with a rope passed around the hull on the opposite side, by means of which the brush can be drawn down along the outside of the hull and held in contact with it. The shaft is revolved by a crank or other power transmitting device provided with casters adapted to travel on the deck of the vessel.

PRODUCING ORNAMENTAL SURFACES.

—Rafael J. Chavez and Charles C. Herman, Pana, Ill. For ornamenting in a selected color glass, wood, paper, metal, etc., these inventors have devised an apparatus comprising a number of furnaces, each having a burner, above which is a wire netting supporting a pigment, a hydrocarbon supply pipe discharging into the furnace above the netting. Pipes connect the furnaces with a mixing chamber above, and a receptacle connected with a mixing chamber is provided with means for supporting the material to be ornamented. When the apparatus is in operation a colored heated gas is produced in each furnace, by the burning pigments, in connection with oils and turpentine supplied from a tank, the gases passing into a chamber and settling on articles where not covered by a stencil or pattern.

LEVEL.—Thomas F. Deck, Swanton, Ohio. This level indicates horizontal and vertical positions, and the angle of deviation when placed out of horizontal position. It comprises a stock having a transverse bore and opposite concentric recesses, bearing plates seated in the bore, one of which has an annular rim engaging with the other plate, and dial plates secured in the recesses. Rollers have journal bearings in the dials and plates, and a weighted shaft having pointers on its ends is journaled on the rollers. There are transparent covers for the dials.

KILN FOR BURNING BRICKS, ETC.—Andrew Thaison, Laredo, Texas. This is an improved kiln designed to enable the operator to control the heat to insure a uniform and equal heating of the articles set in the kiln, and at the same time requiring only a small amount of fuel. It comprises an arched chamber to receive the articles to be burned, opposite furnaces in the sides of the chamber with draught flues above their inner ends, each having branch flues opening at an angle into the arched roof, whereby the products of combustion pass upwardly and sidewise through the material to be burned, there being dampers in each branch flue and a draught flue from the arched roof of the chamber at each end, as well as a draught flue for each corner of the chamber. All draught is upward, and the water smoke readily escapes without injuring the green brick.

SHUTTER OPERATING DEVICE.—Robert H. Ireland, New York City. To facilitate opening and closing doors, shutters, gratings, etc., particularly fire shutters, according to this improvement, a bar is extended across the space closed, two sleeves sliding on the bar, and links of different lengths are each connected at one end to one of the sleeves, both links being coupled at their other ends to the same shutter, there being means for holding the sleeves against movement on the bar. The device also acts as a lock to hold the shutters in closed and open positions.

SLEIGH KNEE.—Herman and Henry Wesle, Medford, Wis. In order that the body of the sleigh may have lateral play on the knee to a limited extent, these inventors have devised a simple and inexpensive construction, applicable to any sleigh runner. The knee comprises an upper or body portion and side flanges, with a lug at each side of the center and a clamp adapted for attachment to the body of the sleigh and located on the upper central portion of the knee to have lateral movement between the lugs. The clamp has side flanges to engage the side flanges of the knee, and guide devices connected with the flanges of the clamp are controlled by stop devices on the flanges of the knee.

PENCIL SHARPENER.—Constant E. Cousy, New York City. This is a device designed to remain permanently on the pencil, which, as it becomes dull, is fed toward the knife of the sharpener to renew its point, the knife being so located on the sharpener that the knife and its support form a rest for the fingers of the hand grasping the pencil. It consists of a conically tipped tube around which is a spiral slot, a sleeve traveling on the tube, while a set screw enters an opening in the sleeve and slot and projects into the pencil. The tube is also designed to protect any portion of the lead that is exposed and not actually used, thus preventing breakage.

AUXILIARY BROOM HANDLE.

—Loy B. Young, Newport, Ark. To facilitate the advantageous use of a broom in cleaning ceilings, walls, etc., this inventor has devised a ready means of attaching an auxiliary handle to the ordinary handle to lengthen the latter. It consists of a clamp having semicircular bearings adapted to engage the broom handle and opposite bearings to engage a stick forming the extension handle, a thumb screw tightening the parts to firmly draw the handle and stick together.

ASH SIFTER.

—John W. Fee, Chicago, Ill. This sifter has a suitable casing, in the bottom of which is a receptacle to receive the ashes, and the top being closed by a cover, while near the top is a removable cylindrical receptacle, which may be taken to the stove to receive the ashes, and which also constitutes a sifter when in place in the casing, being revolved by a crank handle extending out at one side. The cinders remain in the cylinder after the ashes are sifted out, which is effected without any escape of dust.

ATTACHING HARNESS TO VEHICLE

SHAFTS.—Frederick Dickerboom, Windom, Minn. A device designed by this inventor is particularly for attaching light racing harness to the vehicle shafts, whereby the harness need comprise only the bridle and driving reins and the saddle, the attachment being connected with the saddle straps, and a portion of the device being a fixture to the straps, while another portion is made a fixture on the shafts. Attached to the thill is a body with a slot intersected by a bore, while a slotted slide is inwardly spring pressed, a spring pressed bolt stud being movable in the slot of the slide, and a buckle with a stud movable in the slot is engaged by the bolt to prevent the disengagement of the stud with the body.

EVAPORATING PAN.

—Leon F. Hauptman, New Orleans, La. This patent is for one of a number of similar inventions by the same inventor, for quickly evaporating moisture from a liquor, and comprises a casing within which is an inclined evaporating plate, on the underside of which is secured a plate forming chamber to receive steam pipes, a wave-like plate being arranged over the evaporating plate, over which a blower forces heated air, while a liquor tank has communication with the upper end of the evaporating plate.

VEHICLE BRAKE.

—Vardiman T. Sweeney, Springfield, Ky. This is an improvement on two formerly patented inventions of the same inventor, to simplify brakes adapted to be applied by the team in backing, and providing means for their application by hand as readily as by the team. The mechanism is such that when the vehicle is on an incline and the tongue is free to act, the brakes will be automatically applied, owing to the inclination of the tongue, due to the team in holding back. The invention also provides improved means of suspending the brake beam to take up lost motion, and for the taking up of lost motion in the chains or cables.

VEHICLE WHEEL.

—Paris Richardson, Deshler, Neb. This wheel has a divisible hub, and the spokes and sectional felines are made to press outwardly on the tire and hold it tightly bound on the felly sections. The hub is composed of two sections, one slidable on the other, the sections having parallel flanges receiving between them the inner ends of the spokes, there being a divided ring in the hub whereon the inner ends of the spokes are seated, radial bolts engaging the ring and projecting between the spokes, while clamping plates on the outer ends of the bolts rest on the hub flanges.

CHRISTMAS TREE STAND.

—Henry W. Kurtz, New York City. This is a stand in which the body of the tree will be received and held in position on the base of the stand by braces grouped around the tree trunk, effectually preventing the tree from toppling over, while the attachment of the stand to the tree may be readily and quickly effected. The stand consists of base members detachably secured together in cruciform shape, and braces pivotally attached to opposite sides of the members are adapted at their free ends to be secured to the trunk of a tree by means of nails or screws. When the stand is not needed, its parts may be folded and packed in a small space.

NOTE.—Copies of any of the above patents will be furnished by Munn & Co. for 10 cents each. Please send name of the patentee, title of invention, and date of this paper.

Business and Personal.

The charge for insertion under this head is One Dollar a line for each insertion; about eight words to a line. Advertisements must be received at publication office as early as Thursday morning to appear in the following week's issue.

Marine Iron Works. Chicago. Catalogue free.
High grade well drills. Loomis Co., Tiffin, Ohio.
For logging engines. J. S. Mundy, Newark, N. J.
"U. S." Metal Polish. Indianapolis. Samples free.
Presses & Dies. Ferracute Mach. Co., Bridgeton, N. J.
Yankee Notions. Waterbury Button Co., Waterbury, Ct.
Handle & Spoke Mch. Oberlathe Co., Chagrin Falls, O.
Screw machines, milling machines, and drill presses. The Garvin Mach. Co., Spring & Varick Sts., New York.
Concrete Houses—cheaper than brick, superior to stone. "Ransome," 757 Monadnock Block, Chicago.

Machinery manufacturers, attention! Concrete and mortar mixing mills. Exclusive rights for sale. "Ransome," 757 Monadnock Block, Chicago.
The celebrated "Hornsby-Akroyd" Patent Safety Oil Engine is built by the De La Vergne Refrigerating Machine Company. Foot of East 138th Street, New York.

The best book for electricians and beginners in electricity is "Experimental Science," by Geo. M. Hopkins. By mail, \$4. Munn & Co., publishers, 361 Broadway, N. Y.

Send for new and complete catalogue of Scientific and other Books for sale by Munn & Co., 361 Broadway, New York. Free on application.

Notes & Queries

HINTS TO CORRESPONDENTS.

Names and Address must accompany all letters or no attention will be paid thereto. This is for our information and not for publication.
References to former articles or answers should give date of paper and page or number of question.
Inquiries not answered in reasonable time should be repeated; correspondents will bear in mind that some answers require not a little research, and, though we endeavor to reply to all either by letter or in this department, each must take his turn.
Buyers wishing to purchase any article not advertised in our columns will be furnished with addresses of houses manufacturing or carrying the same.
Special Written Information on matters of personal rather than general interest cannot be expected without remuneration.
Scientific American Supplements referred to may be had at the office. Price 10 cents each.
Books referred to promptly supplied on receipt of price.
Minerals sent for examination should be distinctly marked or labeled.

(7070) H. S. P. asks: What is the smallest in weight and size and economy of a plunge battery or batteries that will develop two actual horse power for 10 or 12 hours, and also the solution and metals and proportion, etc.? A. This cannot be done except by using an extravagantly large battery, because a plunge battery runs down very rapidly, the chromic acid attacking the zinc. A battery just sufficient to give 1,500 watts when fresh would at the end of 10 hours run down to perhaps 150 watts. A practical rule is to allow 12 square inches of zinc to 4 watts. The number of cells the battery should contain depends on the voltage. Then in use the battery may consume one-half of the power. The rule given will do for one or two hours probably. If for a long run, make the battery five or ten times as large. A powerful plunge battery is described and illustrated in our SUPPLEMENT, No. 792.

(7071) M. W. C. says: Salts are of two kinds, acid and neutral. The acid salts are those in which only part of the hydrogen in an acid has been replaced by a metal and reacts on acid. Why then is NaHCO_3 basic in quality? Is it called an acid salt as KHSO_4 ? A. Your first definition is correct and full. The fact that a salt affects test paper does not always show that it is not neutral. The general statement about such a salt as sodium carbonate would be that sodium is of so strong an alkaline reaction that its effect on litmus solution or test paper can only be masked by a strong acid. In other words, the neutrality of a salt is a question of constitution, not of reaction on test paper. NaHCO_3 is an acid salt.

NEW BOOKS AND PUBLICATIONS.

A TEXT BOOK ON SHADES AND SHADOWS AND PERSPECTIVE. Prepared for the use of students in technical schools. By John E. Hill. Second edition, revised and enlarged, first thousand. New York: John Wiley & Sons. London: Chapman & Hall, Ltd. 1896. Pp. 101. Plates xii. Price \$2.

Perspective is always an attractive subject, and in the above work will be found shades and shadows and perspective treated a good deal from the draughtsman's and artist's standpoint, as well as from that of the mathematician. The work is clearly stated and includes numerous problems and a very liberal quantity of plates. Apparently an index is not considered necessary. It has all that is requisite in its table of contents.

A HISTORY OF ELEMENTARY MATHEMATICS, WITH HINTS ON METHODS OF TEACHING. By Florian Cajori, Ph.D. New York: The Macmillan Company. London: Macmillan & Company, Ltd. 1896. Pp. 304, viii. Price \$1.50.

This excellent and most interesting work, with its very elaborate index and beautiful make up, indicates a subdivision of the subject which of late years has come into prominence; we refer to the history of education. It is an exhaustive monograph on the world's work in mathematics from the most ancient times to the present day, with examples taken from all parts of the world and all nations, and is an important contribution to that science. One especially interesting portion is the examination of the status of elementary geometry and its future.

CHARTS FOR LOW PRESSURE STEAM HEATING, FOR THE USE OF ENGINEERS, ARCHITECTS, CONTRACTORS, AND STEAM FITTERS. By J. H. Kinealy, D.E. New York: Spon & Chamberlain. London: E. & F. N. Spon. 1896. Pp. 4. Price \$1.

These charts are for the purpose of giving rapid determinations of the factors of steam heating. They will be found exceedingly useful not only in final estimates, but in presenting results to possible customers on short notice.

TO INVENTORS

An experience of nearly fifty years, and the preparation of more than one hundred thousand applications for patents at home and abroad, enable us to understand the laws and practice on both continents, and to possess unequalled facilities for procuring patents everywhere. A synopsis of the patent laws of the United States and all foreign countries may be had on application, and persons contemplating the securing of patents, either at home or abroad, are invited to write to this office for prices, which are low, in accordance with the times and our extensive facilities for conducting the business. Address MUNN & CO. office SCIENTIFIC AMERICAN, 361 Broadway, New York.

INDEX OF INVENTIONS

For which Letters Patent of the United States were Granted

DECEMBER 15, 1896,

AND EACH BEARING THAT DATE.

[See note at end of list about copies of these patents.]

Air forcing apparatus, operating mechanism for, F. J. Mitchell.	573,026
Air goods, A. A. Young.	573,122
Air lock for caissons, etc., R. S. Gillespie.	573,405
Amalgamator, J. A. Riffe.	573,163
Armature, W. A. Drysdale.	573,102
Auger, earth, H. A. Brownlee.	573,388
Axle box, car, S. Collins.	573,391
Axle box, car, J. L. Pettibone.	573,417
Axle, vehicle, J. P. Morris.	573,281
Back band, adjustable spine protecting, J. P. Deady.	573,306
Bake pan, R. C. Snyder.	573,045
Bakers' or confectioners' use, depositing apparatus for, R. Megson.	573,432
Baling press, B. F. Martindale.	573,023
Band cutter and feeder attachment, J. A. Lovette.	573,010
Barrel closing machine, H. U. Palmer.	573,159
Barrel, metallic, I. Van Tilburg.	573,062
Basket wiring mechanism, Thayer & Wheeler.	573,311
Batter mixer, etc., S. H. Coombs.	573,208
Battery. See Gun battery.	
Bearing and hub, vehicle axle, A. E. Dain.	573,394
Bed, folding, J. H. Morris.	573,027
Bedstead, extension, A. Butzer.	573,300
Beer drawing apparatus, J. R. Young.	573,172
Bicycle, V. Willis.	573,316
Bicycle attachment, J. G. McNaughton.	573,282
Bicycle chainless chain gear, J. C. Pratt.	573,101
Bicycle costume, J. Silbermann.	573,168
Bicycle gearing, A. Monkiewicz.	573,230
Bicycle holder, C. J. Ryder.	573,038
Bicycle hub, W. R. Fox.	573,076
Bicycle rack, H. Westphal.	573,171
Bicycle snowshoe attachment, E. A. Peterson.	573,034
Bicycle tool box, E. E. Hudson.	573,293
Bicycles, adjustable support or rest for, G. W. Wiley.	573,378
Bicycles, etc., pedal crank for, W. J. Valentine.	573,055
Billiard table, pocket, P. M. Cunningham.	573,262
Blender, J. H. Brunner.	573,102
Blank furnace and burner, H. E. Auman.	573,123
Blower, S. Barrow.	573,195
Boiler. See Steam boiler.	
Boiler, L. M. Barlow.	573,195
Boiler cleaner, A. M. Lawson.	573,226
Boiler furnace, E. J. & A. B. Duff.	573,094
Boiling apparatus, electric, F. W. Schindler.	573,042
Bolting reels, mounting and driving, J. Hutchinson.	573,412
Bonus determining device, J. H. Drobisch.	573,076
Book, W. Bucksath.	573,232
Book holder, M. E. Blood.	573,072
Book rest for school desks, tables, etc., C. F. Haynes.	573,089
Bookshelves, foot rest, T. J. Pendergast.	573,284
Bottle, A. P. Biven.	573,300
Bottle closing device, J. M. Mack.	573,094
Bottle, mullage, C. A. Horn.	573,129
Bottle, non-refillable, F. T. & J. P. Vanstrum.	573,061
Bottle or jug, L. C. Webster.	573,373
Bottle stopper, A. L. Bernardin.	573,351
Bottle stopper, Friedman & Koebel.	573,212
Bottle stopper, C. F. Rockwell.	573,236
Bottle stopper, J. Schumacher.	573,301
Box. See Axle box. Bicycle tool box. File box. Letter box. Music box.	
Box for distributing pulverulent material, C. Osterheld.	573,032
Box lid holder, W. T. Moore.	573,156
Braking machine, J. W. Hilton.	573,411
Brake. See Car brake. Fluid pressure automatic brake. Vehicle brake.	
Brake shoe, A. Brake.	573,429
Brake shoe, A. L. Landey.	573,227
Brake shoe, Whitcomb & Coggins.	573,352
Brake shoe, J. L. Wicks.	573,376
Brick, composition for fire, K. H. Dangler.	573,969
Brick or tile cutting machine, W. R. Cunningham.	573,263
Brush, B. S. Baxter.	573,198
Brush, collecting, E. B. Raymond.	573,105
Buckle, lock, M. W. Lynch.	573,088

Bung and flushing key for same, faucet, D. Beebe.	573,254
Burg hole protector and funnel combined, A. Knudsen.	573,333
Burner. See Incandescent burner.	
Calculating furnace, A. Dauber.	573,140
Calculating machine, G. W. Mackenzie et al.	573,228
Camera magazine, F. Stubbs.	573,309
Cannister, Schorr & Collins.	573,359
Car brake, T. Miller.	573,024
Car buffer platform, railway, T. L. McKee.	573,193
Car coupling, G. Aabel.	573,253
Car coupling, W. Johnson.	573,309
Car coupling, C. Schleicher.	573,043
Car coupling, automatic, J. J. Bolger.	573,354
Car fender, D. Guarino.	573,384
Car fender, W. J. Kendall.	573,415
Car fender, E. E. Phinney.	573,352
Car fender, Sparmo & Russo.	573,242
Car fender, street, B. F. Seymour.	573,434
Car gongs, actuating device for street, T. Kelly.	573,224
Car replacing frog, W. A. Adams.	573,380
Car ventilating window, Glover & Smith.	573,273
Card embossing machine, O. C. Hale.	573,407
Carpet stretcher, E. E. Hull et al.	573,149
Carriage gear, C. A. Behlen.	573,384
Carriage foot connection, A. Krider.	573,008
Cash register, E. P. Spaulding.	573,046
Casket attachment, M. Altmyer.	573,124
Centrifugal machine, J. G. Klenk.	573,000
Chain, L. D. Howard.	573,291
Chair. See Dental chair.	
Chair fastener, rocking, R. Taggart.	573,114
Chart, zodiacal, J. & L. Lindahl.	573,307
Chin support for laying out the dead, F. R. Fales.	573,039
Chlorin, apparatus for making, Sadler & Wilson.	573,039
Chopper. See Cotton chopper.	
Christmas tree stand, H. W. Kurtz.	573,225
Chronos, mounting, P. I. Bonney.	573,356
Chuck, E. H. Vogt.	573,180
Churn, R. J. Force.	573,430
Clamp, C. D. Pitts.	573,287
Clamp for textile machinery, cloth, C. Weichelt.	573,065
Cleaner. See Boiler cleaner. Tube or pipe cleaner. Self winding mechanism for electric, C. M. Crook.	573,430
Cloth cutting machine, G. Imhof.	573,186
Clothes pounder, H. W. Toler.	573,314
Clutch, friction, S. Brown.	573,957
Coal cutting and drilling machine, combined, S. Raybold.	573,237
Coffin truck, embalming table, etc., combined, W. F. Shaw.	573,303
Coin holder, C. A. Webster.	573,251
Column, P. Johnson.	573,151
Columns, means for sinking wall or other support, R. S. Gillespie.	573,404
Combination lock, D. J. Cable.	573,136
Cooking utensil, J. K. Purinton.	573,291
Corking machine vent attachment, W. O. Vilter.	573,426
Cotton chopper and cultivator, D. C. Summers.	573,369
Coupling. See Car coupling. Drill rod coupling. Thill coupling.	
Coupling for rolls, J. F. Budke.	573,303
Coupon system, credit, W. R. Gillette.	573,978
Crane, W. H. H. Sallee.	573,040
Crate, shipping, J. H. Jewett.	573,398
Curling iron, G. Skinner.	573,143
Cutter. See Band cutter. Potato cutter.	
Cutter head temple, S. J. Shimer.	573,304
Cycle, skating, T. A. Marteny.	573,096
Danger signal, Harris & Benard.	573,218
Delivery receptacles, device for securing, W. H. Miller.	573,341
Dental chair, A. W. Browne.	573,133
Dental furnace, Schwartz & Cigrand.	573,361
Die, J. J. Theobald.	573,371
Directory office, W. W. Powers.	573,354
Door catch, C. E. Cobble.	573,372
Door check, E. L. Schacht.	573,372
Door closer and stop, combined, B. M. Davis.	573,356
Door hanger, M. C. Richards.	573,108
Drainer, cellar, W. Lee.	573,014
Drill. See Grain drill. Hand drill.	
Drum, E. Boulanger.	573,433
Dye, red, T. Sandmeyer.	573,239
Dyeing apparatus, H. A. Metz.	573,229
Educational appliance, H. Eckhardt.	573,272
Egg tester, Smith & Landis.	573,315
Elevator, E. H. G. Weber.	573,250
Electric cable, F. Borel.	573,176
Electric conductors, automatic grounding device for, G. A. Jewett.	573,222
Electric furnace, M. Schindler.	573,041
Electric generator, direct current dynamo, B. G. Lamm.	573,009
Electric meter, T. Duncan.	573,070
Electric meter, C. Erben.	573,082
Electric meter, W. D. Marks.	573,021
Electricity and conduit for holding same, conductor, C. F. T. Seely.	573,302
Elevator attachment, E. C. Jenkins.	573,307
Embroidering machine, R. Weiss.	573,119
Engine. See Gas engine. Rotary engine. Steam engine.	
Engine igniter, gas, F. J. Rettig.	573,296
Envelope, W. Brown.	573,123
Evaporating pan, L. F. H. Taubman.	573,219
Fabric. See File fabric. Tir fabric.	
Fandevie and rocking chair, automatic, P. Serge-Kisslow.	573,167
Feed water heater, W. L. Shepard.	573,111
Fence post, H. M. G. Weber.	573,097
Fender. See Car fender.	
Fertilizers, apparatus for making, Courtney & Schwartz.	573,965
File box, W. Lumley.	573,020
Filter, water, J. A. & E. W. Hasenpflug.	573,409
Fireproof safe, H. G. Wright.	573,062
Fish scaling device, H. W. Gremmel.	573,282
Flat iron support, M. S. Thompson.	573,052
Flower stand and bracket therefor, R. E. Burke.	573,073
Fluid pressure automatic brake, G. Westinghouse.	573,100
Flour mill, J. H. Morris.	573,213
Fodder blinder, C. A. Gordon.	573,380
Folding machine, rotary, T. M. North.	573,348
Form washing device, A. L. Hemphill.	573,410
Furnace. See Blank furnace. Boiler furnace.	
Gas, consuming hydrocarbon, T. L. Willson.	573,387
Gas engine, E. S. B. Clark.	573,228
Gas generator, T. Hennessy.	573,268
Gas heater, J. W. Carter.	573,215
Gas, manufacturing carbonic acid, B. T. L. Thomson.	573,053
Gas meter, J. Dodd.	573,389
Gas or water switch, S. W. Garrison.	573,403
Gas setting, D. W. Costigan.	573,159
Generator. See Electric generator. Gas generator.	
Glass, composition for, K. H. Dangler.	572,968
Glass from flattening ovens, conveyor for carrying, J. H. Dangler.	573,318
Glove, foot, or apparel fastener, Freund & Sappley.	573,401
Glove fastener, W. S. Richardson.	573,188
Glove holder, E. R. Nablo.	573,232
Grain binder trip mechanism, B. F. Stewart.	573,043
Grain binding mechanism, B. F. Stewart.	573,043
Grain drill, J. M. King.	573,416
Grate, J. S. Roake.	573,104
Grinding machine attachment, drill, J. H. Ageen.	573,244
Gun battery, platoon, R. B. Potts.	573,210
Gun mount, R. B. Dashiell.	573,210
Ham fastener, G. C. Bostwick.	573,131
Hand drill, J. McSweeney.	573,131
Hand protector, C. H. G. eim.	573,215
Harness, R. F. Spencer.	573,306
Harrow, A. R. Troutman.	573,315
Harvester bundle carrier, P. Hanson.	573,068
Harvester, corn, B. Bucher.	573,269
Harvester, corn, J. Dain, Jr.	573,267
Harvester, corn, G. O. Houck.	573,270
Harvester, corn, J. W. White.	573,067
Harvester sheaf carrier, self binding, J. F. Steward.	573,244
Hat and coat hook, C. P. Brand.	573,253
Hat or cap, W. J. Worden.	573,192
Headlight, O. A. Comstock.	573,177
Headlight, electric car, J. H. Neal.	573,283
Headrest, G. T. Higgins.	573,147
Heater. See Feed water heater. Gas heater.	
Heater, G. A. Watson.	573,170
Heater and purifier, combined, J. Bonar.	573,265
Hedge plashing implement, J. A. Mitchell.	573,343
Hinge, L. Bartelmes.	573,197
Hook. See Hat or coat hook.	
Household reminder, J. H. Beebe.	573,319
Ice cream freezer, L. D. Ralibach.	573,283
Ice cream mould and dipper, C. W. Harmon et al.	573,287
Icecreper, D. M. Forsyth.	573,975
Ice tong, Bird & Weston.	573,262
Impact tool, J. F. Clement.	573,260
Incandescent burner for fluid combustibles, E. H. C. Oehlmann.	573,031
Indexer, J. W. Kea.	573,153
Indicator. See Station indicator.	
Indicator, W. P. Reichenbach.	573,106
Indicator or sign, J. P. Coleman.	573,207
Inhaler, G. W. Shelton.	573,243
Insect powder duster, P. E. Hoffman.	573,184
Insulator, F. M. Locke.	573,062
Insulator, wall, J. J. O'Neill.	573,101
Jack. See Armature jack. Shoe machine jack.	
Joint. See Wire joint.	
Kettle spout attachment, M. S. Kjellstrom.	573,330
Keyboard, J. F. Black.	572,953
Keyhole guard, J. S. Hecker.	572,968
Knife. See Lathe knife.	
Knitting machine, circular automatic rib, Leighton & Rice.	573,275
Knitting machine, rotary, E. Vermilyea.	573,063
Knockdown table, G. B. Yost.	573,428
Lacing cord, J. P. Tolman.	573,249
Lamp chimney protector, Kulcsar.	573,155
Lamp, electric arc, C. Dohrick.	573,388
Lamp, electric arc, Richter & Eschier.	573,161
Lamp, regenerative, Smith & Gordon.	573,113
Lamps, wick adjuster for central draught, N. Johnson.	573,223
Lantern, C. H. Homan.	573,148
Lantern, tubular, C. Bergener.	573,067
Lathe knife and cutter head, L. G. Merritt.	573,068
Lawn sprinkler, I. H. Gingrich.	573,083
Leaf spring, G. H. Williams.	573,121
Leg, artificial, H. Hennecke.	572,989
Less, or exaglass, A. E. Hart.	573,067
Letter box, safety street, J. W. Hentz.	573,320
Level, T. F. Deck.	573,311
Limb, artificial, E. H. Erickson.	573,266
Limotype machine, G. A. Bates.	572,947
Limotype machine knife attachment, P. T. Balls.	573,383
Liquids, apparatus for purifying and decolorizing saccharine or other, M. Pridham.	573,355
Liquids, purifying and decolorizing saccharine or other, M. Pridham.	573,289
Lock. See Combination lock. Sash lock.	
Loom, G. A. Draper.	573,294
Loom, pattern chain support, E. Palmer.	573,160
Loom pattern chain support, W. J. Lutton.	573,279
Loom shuttle box operating mechanism, A. Lockwood.	573,276
Loom temple, W. I. Stimpson.	573,308
Magnet poles, attaching field, O. Blackwell.	573,130
Machinery, securing field, H. G. Reist.	573,327
Mail bag fastener, M. S. Cody.	573,074
Malted foods, C. Rach.	573,236
Mandolin, B. N. Rethy.	573,357
Match receptacle, W. C. Schaper.	573,422
Mat, safe, Russell.	573,058
Matriculation apparatus for distributing same, W. Berri.	573,199
Measuring machine, cloth, Kulberg & Brunzell.	573,335
Meter. See Electric meter. Gas meter. Wattmeter.	
Milk heating vat, Buch & Belser.	573,389
Mill. See Rolling mill.	
Mining machine, coal, J. M. Householder.	573,271
Mixer. See Batter mixer.	
Mould. See Ice cream mould.	
Moulding machine for forming warped or irregular pieces, E. I. Ivator.	573,050
Mortising machine, wood, S. F. Tibbets.	573,312
Motor, P. Stark.	573,366
Motor or engine, S. M. Balzer.	573,174
Mug, shaving, Savage & Loughran.	573,240
Music box, F. J. Bernard.	573,260
Music box, P. P. Schumann.	573,018
Music holder, W. Lee.	573,018
Note disk holder, O. P. Lochmann.	573,017
Numbering head, O. Bartusch.	573,175
Nut lock, C. T. & A. DeGraffenried.	573,397
Nut lock, J. Martin.	573,022
Oil pump, T. Seely.	573,044
Oil pump, J. W. Johnson.	573,365
Organ reed tunin machine, C. N. Rand.	573,103
Ornamental surfaces, apparatus for producing, Chaves & He man.	573,206
Overalls, etc., C. J. Ralfeisen.	573,292
Paper bag machine, Lorenz & Claussen.	573,277
Paper tube machine, Knight & Blackwell.	573,004
Pattern orchard, M. E. Hall.	573,408
Patent, W. E. Simon.	573,364
Piano, automatic, White & Parker.	573,361
Piano resonator, F. L. Goulin.	573,261
Picks, etc., eye forming machine for, C. Rossman.	573,118
Pile fabric, A. Webb et al.	573,109
Pin. See Safety pin.	
Pistol, L. M. J. P. Latrige.	573,338
Planetarium, J. M. Chaney.	573,137
Planter, potato, J. W. Underhill.	573,054
Plow, W. Stephens.	573,368
Pneumatic dispatch tube, C. F. Pike.	573,037
Post. See Fence post.	
Potato cutter, S. Mikami.	573,099
Precious metals from their alkali cyanide solutions, precipitating, M. Netto.	573,233
Press. See Baling press. Printing press.	
Printing device, C. B. Kies.	573,003
Printing machine, etc. its tympan, sheet perfecting, L. Crowell.	573,303
Printing machine, tripping motion, S. D. Tucker.	573,425
Printing press, job, H. Johnson.	573,413
Projectile coating, C. Y. Wheeler.	573,120
Propeller governor, Turner & Cummings.	573,116
Pruning implement, Lowe & Gaudet.	573,339
Pulley, sling, F. Thompson.	573,248
Pump, M. T. & M. C. Chapman.	572,959
Pump, W. Clarkson.	572,962
Pump, feed, J. Grubinski.	573,085
Pump, hydrant, G. W. Clarkson.	572,958</

Advertisements.

ORDINARY RATES.

Inside Page, each insertion -- 75 cents a line
Back Page, each insertion -- \$1.00 a line
For some classes of Advertisements, Special and Higher rates are required.

The above are charges per agate line—about eight words per line. This notice shows the width of the line, and is set in agate type. Engravings may be advertised at the same rate per agate line, by measurement, as the letter press. Advertisements must be received at Publication Office as early as Thursday morning to appear in the following week's issue.

WOOD or METAL WORKERS
without steam power can save time and money by using our
Foot and Hand Power Machinery
SEND FOR CATALOGUES—
A—Wood-working Machinery.
B—Lathes, etc.
SENECA FALLS MFG. COMPANY.
685 Water St., Seneca Falls, N. Y.

AMERICAN PATENTS.—AN INTERESTING AND VALUABLE TABLE showing the number of patents granted for the various subjects upon which petitions have been filed from the beginning down to December 31, 1894. Contained in **SCIENTIFIC AMERICAN SUPPLEMENT**, No. 1002. Price 10 cents. To be had at this office and from all newsdealers.

POWER & FOOT LATHES. SHAPERS, PLANERS, DRILLS, MACHINE SHOP OUTFITS, TOOLS AND SUPPLIES. CATALOGUE FREE.
SEBASTIAN LATHE CO. 120 CULBERT ST. CINCINNATI, O.

POOR CLAIMS MADE PROFITABLE
The immense saving effected by the use of our
PERFECTED STEAM STAMP for crushing ores has in many instances made the above statement a reality. Prospector and mining capitalists investigate. Nothing like them in all Christendom.
Write
CATES IRON WORKS, CHICAGO.

For All Shaft Sizes.
HUB Ball Bearings
For High Speeds. No Heating. No Wear. They Save Power. Oil Time Used by Best Machine Builders.
Patented.
Write for prices.
THE BALL BEARING CO.,
12 Watson St., Boston, Mass.

BICYCLE MACHINERY.
Bicycle Chain Side-Link Punching & Piercing Press
Capacity, 120 links per minute.
Send for Booklet.
The Waterbury Farrel Foundry and Machine Company,
Bank St., Waterbury, Conn., U. S. A.

Stark Anti-Friction Ball Bearing END THRUST
—AND—
STARK ANTI-FRICTION DRAWING SPINDLE
Send for catalog B.L.
JOHN STARK, Waltham, Mass.
Turk Bros., 35-45 West Randolph Street, Chicago, Ill. Chas. Churchill & Co. Ltd., 21 Cross Street, Finsbury, London, E. C., England.

EXTEND YOUR TRADE
Manufacturers wishing to extend their trade in England, should write **V. H. HOUGHTON & CO., 95 Regent St., London.** The firm has special facilities for doing business with English merchants and shippers, and is prepared to extend trade or open a market on moderate terms.

CATALOGUES FREE TO ANY ADDRESS
GEARS AND PARTS OF MODELS
GOODNOW & WIGHTMAN

The Scientific American

PUBLICATIONS FOR 1897.

The prices of the different publications in the United States, Canada, and Mexico are as follows:

RATES BY MAIL.

Scientific American (weekly), one year,	\$3.00
Scientific American Supplement (weekly), one year,	5.00
Export Edition of the Scientific American (monthly) in Spanish and English,	3.00
Building Edition of the Scientific American (monthly),	2.50

COMBINED RATES

in the United States, Canada, and Mexico.

Scientific American and Supplement,	7.00
Scientific American and Building Edition,	5.00
Scientific American, the Supplement, and Building Edition,	9.00

TERMS TO FOREIGN COUNTRIES.

The yearly subscription prices of Scientific American publications to foreign countries are as follows:

	U. S. Money.	English Money.
Scientific American (weekly),	\$4.00	£ 6 5
Scientific American Supplement (weekly)	6.00	1 4 8
Building Edition of the Scientific American (monthly),	3.00	0 12 4
Export Edition of the Scientific American (monthly) in Spanish and English,	3.00	0 12 4

COMBINED RATES TO FOREIGN COUNTRIES.

Scientific American and Supplement,	8.50	1 14 11
Scientific American and Building Edition,	6.50	1 6 9
Scientific American, Scientific American Supplement, and Building Edition,	11.00	2 5 2

Proportionate Rates for Six Months.

The above rates include postage, which we pay. Remit by postal or express money order, or draft to order of
MUNN & CO., 361 Broadway, New York.

Watchmaking a Trade for Young Men and Women

Parsons' Institute for Watchmakers, Engravers and Opticians in New Quarters.

Send for 1897 Catalogue.

111 BRADLEY AVE., PEORIA, ILLINOIS

1 and 1/2 H. P. Gas or Gasoline Engines.

Well made, practical machine suitable for any kind of light work, and so simple that a boy can operate them. No fire. Furnished with electrical igniter. Send stamps for descriptive matter and prices. All sizes up to 35 h. p. **PIERCE ENGINE CO., 17 N. 17th St., Racine, Wis.**

COMET ROCK BREAKERS.
HEAVIEST DUTY. LIGHTEST THRUST.
ONLY ADJUSTABLE CRUSHER MADE.
SPECIALLY ADAPTED FOR MACADAM AND BALLAST.
PERFORATED SCREENS MINING MACHINERY.
FRASER & CHALMERS, CHICAGO, ILL. U.S.A.

BUY TELEPHONES

That Are Good--Not Cheap Things

The Mutual Telephone Co., Petersburg, Va., changed a Mason-Maxwell equipment and now are happy with a 400 "Western" outfit.
Hundreds of similar cases may be cited affecting the apparatus of nearly all so-called competitors.

WESTERN TELEPHONE CONSTRUCTION CO.
250 South Clinton Street, Chicago
The Largest Manufacturers of Telephones in the U. S.

THE BILLINGS WIRE CUTTER

Drop forged from the best Tool Steel.
Six Cutting Edges.
Adjustable Gauge.
Workmanship the Best.
Length 10 inches.

Send for circular "W. C."

THE BILLINGS & SPENCER CO.,
Drawer 3. HARTFORD, CONN.

WATER MOTORS

GAS ENGINES & VENTILATING FANS

The best Motor in the world for driving all kinds of light machinery, noiseless, neat, compact; invaluable for blowing church organs, running printing presses, coffee mills, ventilating fans, ice cream freezers, meat choppers, etc. In use the world over, and recommended by water companies everywhere. Address for circular, **Backus Water Motor Co., Newark, N. J., U.S.A.**

BARNES' New Friction Disk Drill.

FOR LIGHT WORK.

Has these Great Advantages:
The speed can be instantly changed from 0 to 1600 without stopping or shifting belts. Power applied can be graduated to drive, with equal safety, the smallest or largest drills within its range—a wonderful economy in time and great saving in drill breakage. Send for catalogue.
W. F. & JNO. BARNES CO.,
1999 Ruby St., Rockford, Ill.

VELOCITY OF ICE BOATS. A collection of interesting letters to the editor of the SCIENTIFIC AMERICAN on the question of the speed of ice boats, demonstrating how and why it is that these craft sail faster than the wind which propels them. Illustrated with 10 explanatory diagrams. Contained in SCIENTIFIC AMERICAN SUPPLEMENT, No. 214. Price 10 cents. To be had at this office and from all newsdealers.

PATENTS!

MESSRS. MUNN & CO., in connection with the publication of the SCIENTIFIC AMERICAN, continue to examine improvements, and to act as Solicitors of Patents for inventors.

In this line of business they have had nearly fifty years' experience, and now have unequalled facilities for the preparation of Patent Drawings, Specifications, and the prosecution of Applications for Patents in the United States, Canada, and Foreign Countries. Messrs. Munn & Co. also attend to the preparation of Caveats, Copyrights for Books, Trademarks, Reissues, Assignments, and Reports on Infringements of Patents. All business entrusted to them is done with special care and promptness, on very reasonable terms.

A pamphlet sent free of charge on application, containing full information about Patents and how to procure them; directions concerning Trademarks, Copyrights, Designs, Patents, Appeals, Reissues, Infringements, Assignments, Rejected Cases. Hints on the sale of Patents, etc.

We also send, free of charge, a Synopsis of Foreign Patent Laws, showing the cost and method of securing Patents in all the principal countries of the world.

MUNN & CO., SOLICITORS OF PATENTS,
361 BROADWAY NEW YORK.

BRANCH OFFICES.—No. 622 and 624 F Street, Pacific Building, near 7th Street. WASHINGTON, D. C.

ARMSTRONG'S PIPE-THREADING

CUTTING-OFF MACHINES

Both Hand and Power.
Sizes 1 to 8 inches.
Water, Gas, and Steam Fitters' Tools, Hinged Pipe Vises, Pipe Cutters. Stocks and Dies universally acknowledged to be the BEST. Send for catalog.
THE ARMSTRONG MFG. CO.
Bridgeport, Conn.

TRANSITS AND LEVELING INSTRUMENTS.

NICKEL PLATED **ELECTRIC LEVELS**

Sizes, 2 and 3 inches. Prices, 25 and 30 cents.
For Book on "The Level,"
C. F. RICHARDSON & SON,
P. O. Box 977, Athol, Mass., U. S. A.

WELL DRILLING MACHINERY.

MANUFACTURED BY

WILLIAMS BROTHERS.
ITHACA, N. Y.

MOUNTED ON OR ON SILLS, FOR DEEP OR SHALLOW WELLS, WITH STEAM OR HORSE POWER
SEND FOR CATALOGUE
ADDRESS WILLIAMS BROS., ITHACA, N. Y.

INVENTORS
OF SPECIALTIES WILL FIND IT OF ADVANTAGE TO CORRESPOND WITH AND SUBMIT THEIR ARTICLES TO
H. P. O. BOX 2308 NEW YORK.

FINEST AND FASTEST

THE RIVETT LATHE
Faneuil Watch Tool Co.
Boston, Mass., U. S. A.

With the new attachment, the Rivett Automatic Chuck Closer, from 100% to 300% more work can be done.
NEW TOOLS... NEW CATALOGUE, 1896

R. POOLE & SON CO.
ENGINEERS, FOUNDRERS AND MACHINISTS.
BALTIMORE, MD.
MANUFACTURERS AND DESIGNERS OF ALL KINDS OF
HEAVY MACHINERY,
REQUIRING FIRST CLASS WORKMANSHIP AND MATERIALS.
EARLY WHEELS, FRICTION CLUTCHES, PULLEYS, AND HANGERS.
MACHINE MOLDED SHAFTING
AND PLATED TURBINE
POOLE-LEFFEL TURBINE
WATER-WHEELS
CIRCULARS ON APPLICATION.

Drop Forging

In all its branches done to order.

Send us samples to figure on. Our work is equal to the best done in this country. We make a specialty of very intricate work.

BAGNALL-LOUD BLOCK CO.,
162 Commercial Street, BOSTON

DYNAMOS

FOR ELECTRIC LIGHTING.

Special low prices to boom business.
8 light 16 c.p. 110 volt dynamo \$26.00
10 " 16 " 110 " " 38.00
Other sizes, up to 75 lights, 16 c. p.
High grade machines. Satisfaction guaranteed. Electric motors 1/2 to 1 h. p. any voltage. Storage batteries for all purposes. Roth Bros. & Co., 30-34 Market St., Chicago, Ill.

HYPNOTISM
Sixty ways, \$5; my method, \$2.
100 page book, 10c. Occult Forces,
30c. Prof. Anderson, S. A. 17, Masonic Temple, Chicago

FREE SAMPLE COPY OF HOME STUDY.

...An Elementary Journal for Students

of Mechanics, Electricity, Architecture, Mining, Plumbing, Heating and Ventilation, Steam Engineering, Civil Engineering, and Mechanical and Architectural Drawing.

HOME STUDY, Box 942, Scranton, Pa.

MECHANICAL DRAWING AND SURVEYING

TAUGHT BY MAIL
Large salaries earned. Terms moderate. Uses your spare time only. Send for Catalogue. BLACK CORRESPONDENCE SCHOOL, Box 447, PATERSON N. J.

PHYSICAL AND SCHOOL APPARATUS.

INDUCTION COILS for experiments in X rays and other electrical work.

Catalogue Free.
E. S. RITCHIE & SONS, BROOKLINE, MASS.

Experimental & Model Work

Circulars & advice free. Gardam & Son, 96 John St., N. Y.

GREENFIELD Steam Engine Works.

Established 1874.
Manufacturers of Greenfield Stationary, Portable and Yacht

ENGINES AND BOILERS.
Also Horizontal, Automatic and Variable Cut-off Engines.

Sizes from 3 to 75 Horse-Power.
Also Vertical and Horizontal and Marine Boilers, Steam Pumps and Adams' Grate Bars.
W. G. & G. GREENFIELD,
East Newark, N. J.

DORMAN'S VULCANIZERS

are used all over the world.
Exclusive Manufacturers of Steam Machines for Rubber Stamps. We also make Dry Heat Vulcanizers. Complete outfits from \$10 to \$1000. All Stamp and Stencil Tools and Supplies. Brass and Steel Dies for all purposes. Stamps, Engraving and Die Sinking of all kinds. Established 1860.
Send for Catalogues.

THE J. F. W. DORMAN CO.
121 E. Fayette St., Baltimore, Md., U. S. A.

NOW IS THE TIME TO SUBSCRIBE

—FOR THE—

SCIENTIFIC AMERICAN

ESTABLISHED 1845.

The most popular Scientific Paper in the World

The SCIENTIFIC AMERICAN has been issued every week by the present publishers for a period of over fifty years. It is the only Journal published in this country which is devoted to a general treatment of the development of the sciences, arts and manufactures. Each issue is embellished with numerous illustrations showing great engineering works, the most recent inventions in bicycles and motor carriages, new forms of machinery, photography, the latest additions to the navy, new guns, locomotives, etc., sixteen pages each week. Many of our patrons have been on our subscription books for a period of thirty or forty years, and we often receive letters from old readers stating that owing to a careful reading of the paper since boyhood, they owe their success in life more to having had the SCIENTIFIC AMERICAN as their constant friend and companion than to any other one cause.

The SCIENTIFIC AMERICAN should have a place in every dwelling, shop, office, school or library. Workmen, foremen, engineers, superintendents, directors, presidents, officials, merchants, farmers, teachers, lawyers, physicians, clergymen—people in every walk and profession in life, will derive satisfaction and benefit from a regular reading of the SCIENTIFIC AMERICAN.

As an instructor for the young it is of peculiar advantage. Try it.—Subscribe for yourself—it will bring you valuable ideas; subscribe for your sons—it will make them manly and self-reliant; subscribe for your workmen—it will please and assist their labor; subscribe for your friends—it will be likely to give them a practical lift in life.

A yearly subscription to the Scientific American is a most acceptable holiday gift to a son or a friend.

NEW VOLUME COMMENCES JANUARY 1ST.

SUBSCRIPTION PRICE,
\$3.00 a year, or \$1.50 for six months.

Send your address for a free specimen copy.

MUNN & CO., PUBLISHERS,
361 BROADWAY, NEW YORK.



The Advertisement Writer...

should subscribe for THE INLAND PRINTER. Its advertisements are an object lesson in type composition. He should advertise in it also, and get his name before 11,000 readers every month. Subscriptions, \$2.00 per year; \$1.00 for 6 months. The Inland Printer Company, 212-214 Monroe Street, Chicago, 187 Potter Building, 38 Park Row, New York.

He is Well Posted Who Knows it All

but such people are few. They know the most who study in the best way—by the method which retains in the mind the most of the matter read and studied. A systematic arrangement of ideas as they are imbibed prevents after confusion in the brain.

WHEREWITHAL

is a \$1 Book that educates accurately, immediately, progressively and permanently. It presents facts in a new and attractive light that insidiously sinks into the brain. It is the greatest aid to rapid and clear understanding that the world has ever seen. It opens up new wonders and fresh fields of thought even to the educated mind. Send 2c. stamp for particulars to

WHEREWITHAL BOOK CO.,
BOURSE BUILDING, PHILADELPHIA, PA.

ONLY PRACTICAL MAGAZINE CAMERA.

SUNART'S
"VENI, VIDI VICI,"
SUNART MAGAZINE.
SUNART FOLDINGS
Send for Illustrated Catalogue—2 cent stamp.
SUNART PHOTO CO., ROCHESTER, N. Y.

LOCK UP YOUR WHEEL!

Keep your Bicycle safe from strangers by using
THE LITTLE GEM
COMBINATION LOCK
12 combinations. 3/4 oz. weight. Price 25 cents. Illustrated catalog of Bicycle Sundries free to dealers only.
GEO. W. NOCK,
148 N. Fourth St., Philadelphia, Pa.

They have a tone that's all their own
THE NEW
DEPARTURE
BELLS
are the standard of excellence over the world. Made in 16 different styles and prices. Send postal for booklet to **THE NEW DEPARTURE BELL CO.,** 210 North Main Street, Bristol, Conn., U. S. A.


PEPPER IN SEASON
Always fresh when you want it. Grind it yourself. Get our new patented, heavy plated all metal **PEPPER GRINDING BOX** Strong, handsome and durable. Agents wanted, either sex. Write for full particulars. Price, 40 cents each, by mail, or club rates \$3 for \$1. Makes a handsome table ornament 3 1/4 inches high. Special rates to agents. Address **Union Lock and Hardware Co., Box S. A., Lancaster, Pa.**

AN EXCELLENT HOLIDAY GIFT
FOR OLD OR YOUNG.

Experimental Science

By GEO. M. HOPKINS.

17th Edition Revised and Enlarged.



840 pages, 782 fine cuts, substantially and beautifully bound. Price in cloth, by mail, \$4. Half morocco, \$5.

This splendid work is up to the times. It gives young and old something worthy of thought. It has influenced thousands of men in the choice of a career. It will give anyone, young or old, information that will enable him to comprehend the great improvements of the day. It furnishes suggestions for hours of instructive recreation.

Send for illustrated circular and complete table of contents. . . .

MUNN & CO., Publishers,
Office of the . . .
SCIENTIFIC AMERICAN,
361 BROADWAY, - NEW YORK.


THE HARTFORD, No. 2

Has an Automatic Platen Lift
An Automatic Switch for ribbon movement, feeding both ways
Automatic Lever Locks
Alignment that is positively permanent
Compared with the Hartford, no other machine is up-to-date
We solicit cash trade and can give such customers A GAIN OF 50% over what is offered by competing houses in our line
THE HARTFORD TYPEWRITER CO., 1 LAUREL ST., HARTFORD, CONN. U. S. A.



"THE LIGHT RUNNING" DENSMORE

Everybody knows how much easier it is to raise a weight on an inclined plane than to lift it vertically. That's where the light stroke of the Densmore comes in. Our free pamphlet tells the rest.



FROM THE U. S. GOVERNMENT.

DEPARTMENT OF THE INTERIOR, Washington, Nov. 23, 1895.

Densmore Typewriter Company.
Gentlemen:—We have now in use in the Bureau of this Department nearly eighty Densmore machines. We have no complaint from the users of them; hence we conclude they are giving entire satisfaction. Respectfully,
(Signed) **HIRAM BUCKINGHAM, Custodian.**
DENSMORE TYPEWRITER CO., 316 Broadway, N. Y.

The Typewriter EXCHANGE,
1 1/2 Barclay St., New York.
156 Adams St., Chicago.
38 Court Sq., Boston.
818 Wyandotte Street, Kansas City, Mo.

We will save you from 10 to 50 per cent. on Typewriters of all makes. Send for Catalogue.

THE PORTABLE STRIKING BAG

Stands in the corner when not in use. Will not destroy plaster. The most effective and beneficial exercise. Can be used by man, woman, or child. Small, effective, durable. Rapid in its return. Send for illustrated catalogue free.
HAWTHORNE & SHEBLE,
Public Ledger Building,
PHILADELPHIA, PA.



How to Build a Home

Those intending to build will find the very best practical suggestions and examples of Modern Architecture in the handsomest Architectural Magazine ever published . . .

"The Scientific American Building Edition."

Each number is illustrated with a Colored plate and numerous handsome engravings made direct from photographs of buildings, together with interior views, floor plans, description, cost, location, owners' and architects' names and addresses. The illustrations include seashore, southern, colonial and city residences, churches, schools, public buildings, stables, carriage houses, etc.

All who contemplate building, or improving homes or structures of any kind, have in this handsome work an almost endless series of the latest and best examples from which to make selections, thus saving time and money.

PUBLISHED MONTHLY. SUBSCRIPTIONS \$2.50 A YEAR. SINGLE COPIES 25 CENTS.
For sale at all news sta.,ds, or address **MUNN & CO., Publishers, 361 Broadway, New York**

NEVER BEATEN
in all the many shows in which it has participated, there must be something in the superiority claims of the **RELIABLE INCUBATOR**. Self regulating, entirely automatic, you put in the eggs, the Reliable does the rest. All about this and many things of value to the poultry man in our new book. Send 10 cts. for it.
RELIABLE INCUBATOR & BROODER CO., QUINCY, ILL.

LIFE PRODUCERS
THE SUCCESSFUL INCUBATORS.
LIFE PRESERVERS
THE SUCCESSFUL BROODERS.
All about them in our catalogue. Sent for 6 cents.
DES MOINES INCUBATOR CO., Box 75, DES MOINES, IA.

MONITOR INCUBATOR
Illustrated Catalogue for stamp.
Medal and Diploma. Awarded at the World's Fair.
A. F. WILLIAMS, 61 Race St. Bristol, Ct.

A. W. FABER
Manufactory Established 1761.
LEAD PENCILS, COLORED PENCILS, SLATE PENCILS, WRITING SLATES, STEEL PENS, GOLD PENS, INKS, PENCIL CASES IN SILVER AND IN GOLD, STATIONERS' RUBBER GOODS, RULERS, COLORS AND ARTISTS' MATERIALS.
78 Reade Street, - - - New York, N. Y.
Manufactory Established 1761.

The Life of a Horse

often depends on its shoeing. Ordinary shoes give no firm foothold to the animal and therefore do not prevent it from falling. This danger is averted by the **"SURE STEP"** HORSE SHOE, which consists of a steel skeleton with a hard rubber tread which positively prevents slipping on any surface in any weather. Thousands now in satisfactory use. Price \$2.00 per set.
Free circulars from
FRED'K W. HAHN, 358 Grand Street, New York City.

Chain BELTING of Various Styles, ELEVATORS, CONVEYORS, COAL MINING and HANDLING MACHINERY.
The **JEFFREY MANUFACTURING CO., COLUMBUS, O.**
Send for late Catalogue "C."
Branches: CHICAGO—NEW YORK.

Model Locomotives

Complete sets of castings for Building Latest Designs Express Locomotives, N. Y. Central Pattern.
Send 2 stamps for Catalog.
999 G. H. OLNEY, 165 Herkimer St., Brooklyn, N. Y.

HAWKINS' NEW CATECHISM OF ELECTRICITY
A PRACTICAL TREATISE
for Engineers, Electricians, Wiremen and Amateurs. 550 pages, 300 illustrations, bound in leather, pocketbook form, gold titles and edges. Strictly "Up-to-Date." Postpaid, \$2.00. **THEO. AUDEL & CO.,** 65 Fifth Avenue, New York.

DIXON'S Write the Smoothest and Last the Longest.
American Graphite Pencils
Mention **SCIENTIFIC AMERICAN** and send 16 cents for samples worth double the money.
JOS. DIXON CRUCIBLE CO., JERSEY CITY, N. J.

ALCO VAPOR LAUNCH.
Engine and helm controlled from bow. Latest improved and only 12 to 1 motor now ready for the market. 18 to 40 ft. launches 2, 3, 5 and 7 h. p. No licensed engineer or pilot required. Speed and safety guaranteed. No dangerous naphtha or gasoline used.
Marine Vapor Engine Co., Jersey City, N. J.

MONITOR AND MOGUL
MARINE GAS ENGINES.
LAUNCHES.
NO INSPECTION, BOILER, FIRE, HEAT, SMOKE OR ODOR.
MONITOR VAPOR ENGINE AND POWER COMPANY
GRAND RAPIDS, MICH. SEND FOR CATALOGUE.

HE IS DEAD

For his own interest, who deals in Arms and Ammunition, or who shoots a Rifle, Pistol, or Shot Gun, and has not a copy of **IDEAL HAND BOOK, No. 7-A**, 100 pages of solid information. Just out. (Mention Scientific American.) **IDEAL** and send for one FREE to all countries. Send stamps for postage.
IDEAL MFG. CO., Drawer A, New Haven, Ct., U. S. A.

ICE MACHINES, Corliss Engines, Brewers, and Bottlers' Machinery. THE VILTER MFG. CO., 809 Clinton Street, Milwaukee, Wis.

MAGIC LANTERNS WANTED AND FOR SALE
HARBACH & CO. 809 Filbert St. Phila. Pa.

RELIABLE MAN TO HANDLE AGENTS FOR telephone tablet and specialties. Pays \$5,000 a year. Inclose stamp. **Victory Mfg. Company, Cleveland, O.**

DEAFNESS & HEAD NOISES CURED.
Our INVISIBLE TUBE Cures deafness, restores hearing, as glasses help eyes. NO PAIN. Whispers heard. **FREE**
Send to F. H. Moseley Co., 858 B'way, N. Y., for Book and Proof.

\$5000 We offer cash for simple ideas, patented or not. Send 10 cents to cover postage and expense, and we will send plan and particulars.
H. H. FRANKLIN MFG. CO., Syracuse, N. Y.

TYPE WHEELS, MODELS & EXPERIMENTAL WORK, SMALL MACHINERY, NOVELTIES & ETC. NEW YORK STEINEL WORKS 100 NASSAU ST. N.Y.

WANTED Patent rights to manufacture where large factory buildings with extensive woodworking machinery can be utilized. Address: P. O. Box 503, Decatur, Illinois.

TORNADO TOP AND WHISTLE
Brass, Nickel-Plated. No Strings or Springs. Changes color while going. Send for circular or 15c. in stamps for sample. Agents wanted. **John Goodrich, Detroit, Mich.**

X Ray Apparatus
E. V. BAILLARD, 106 Liberty Street, N. Y.

TANK LUGS and **HOOP LOCKS**
The Dickey Mfg. Co.
RACINE, WIS.

WOODEN TANKS.
For Railroads, Mills and Manufactories. Builders of Steel Towers and Tanks. La. Red Cypress Wood Tanks a specialty.
W. E. CALDWELL, CO.,
217 E. Main Street, Louisville, Ky.

FOR SALE. A valuable Patent on readily applied to any building, is safe and sure in operation. State rights for sale, or the entire patent. For terms and particulars, address **JOS. CLABRON, 13 Todd Street, Lexington, Ky.**

HELP WANTED
UNCLE SAM
wants bright men to fill positions under the government. **CIVIL SERVICE EXAMINATIONS** are soon to be held in every State. More than 6,000 appointments will be made this year. Information about Postals, Customs, Internal Revenue, Railway Mail, Departmental and other positions, salaries, dates and places of examinations, etc., free if you mention *Scientific American*.
NATIONAL CORRESPONDENCE INSTITUTE, WASHINGTON, D. C.

THE HUMAN HAND WONDER-TUBE
as seen through the
X-Ray effects shown without Electricity or Crookes Tube. Rainbow colors at night. No mirrors used. Price of Tube, 10 cts. by mail.
Wonder-Tube Co., 925 F St., Washington, D. C.

CARBORUNDUM
HARDEST ABRASIVE KNOWN. EMERY AND DIAMOND POWDER SUBSTITUTE. IN FLOUR, POWDER, CRISTAL, WHEEL-SLAB & PA. U. S. A.
CARBORUNDUM CO. MIDDLETOWN, N. J.

Twelfth Edition Now Ready.
THE SCIENTIFIC AMERICAN CYCLOPEDIA OF Receipts, Notes and Queries


12,500 RECEIPTS. 708 PAGES.
Price, \$5.00 in Cloth; \$6.00 in Sheep; \$6.50 in Half Morocco, Postpaid.

THIS great work has now been on the market for nearly six years, and the demand for it has been so great that twelve editions have been called for. It is entirely distinct from the ordinary receipt book in being thoroughly up to date.

The work may be regarded as the product of the studies and practical experience of the ablest chemists and workers in all parts of the world; the information given being of the highest value, arranged and condensed in concise form, convenient for ready use. Almost every inquiry that can be thought of, relating to formulae used in the various manufacturing industries, will here be found answered.

Those who are engaged in almost any branch of industry will find in this book much that is of practical value in their respective callings. Those who are in search of independent business or employment, relating to the home manufacture of salable articles, will find in it hundreds of most excellent suggestions.

Send for descriptive circular.
MUNN & CO., Publishers,
361 Broadway, New York.



Advertisements.


ORDINARY RATES.

Inside Page, each insertion -- 75 cents a line
Back Page, each insertion --- \$1.00 a line
For some classes of Advertisements, Special and Higher rates are required.

The above are charges per agate line—about eight words per line. This notice shows the width of the line, and is set in agate type. Engravings may be advertised at the same rate per agate line, by measurement, as the letter press. Advertisements must be received at Publication Office as early as Thursday morning to appear in the following week's issue.

Tribune & Bicycle

Tested and True.



The Easiest Running Wheel in the World.

Send for Catalogue.

THE BLACK MFG. CO., ERIE, PA.

The New Cold-Forged Screws

MADE ONLY BY
AMERICAN SCREW CO.

Send for Sample.

Patented May 10, July 19, 87; Oct. 29, '90; Aug. 19, Oct. 21, '90;
April, May 12, 91; July 19, '92
FACTORIES: PROVIDENCE, R. I. LEEDS, ENGLAND. HAMILTON, ONT.

AGENCIES:
New York, 94 Chambers St. Chicago, 19 Lake St.
Baltimore, 14 W. German St. San Francisco, 23 Davis St.
Philadelphia, 518 Commerce St. Boston, 36 Pearl St.

AGENTS WANTED FOR FINE TOOLS IN EVERY SHOP.
C. H. BESLY & CO.
CHICAGO, ILL. U.S.A.

CAREFUL AND ACCURATE TESTS ON ACTUAL
BOILER DUTY ARE APPLIED TO EVERY



And it must work to a Prescribed Standard. This is the reason it is so thoroughly reliable. It receives the hearty endorsement of every steam user who has tried it. Stock injectors have range 20 lbs. to 150 lbs. steam. Special injectors work up to 250 lbs. steam. Catalog on application.

PENBERTHY INJECTOR CO.
116 SEVENTH STREET, DETROIT, MICH.
Largest Injector Manufacturers in the World.



Est'd Glass; Brooke, Moulds, Expert Making New
1863. Articles. Removed 44 Barclay St., N.Y.

The American Bell Telephone Company,

125 Milk Street,
Boston, Mass.

This Company owns Letters-Patent No. 463,569, granted to Emile Berliner November 17, 1891, for a combined Telegraph and Telephone, covering all forms of Microphone Transmitters or contact Telephones.



We Suit Particular People

Li Hung Chang's friends bought

15 "Daugherty Visible" Typewriters

Perhaps You Never Saw One!
It costs but Little to do so.

Every Letter is in Plain Sight.

The Machine WEARS WELL,

WRITES WELL,

SAVES YOU MONEY.

Address

THE DAUGHERTY TYPEWRITER CO.,
P. O. Box 25 KITTANNING, PA.

HALF A CENTURY OF CYCLES.—AN interesting history of the cycle from its origin up to the present time. The first crank-driven bicycle. The "bone-shaker" and its successors. The tricycle. The modern wheel. Cycle building a science. Points of improvement. The pneumatic tire. A hand and foot cycle. With 9 illustrations. Contained in SCIENTIFIC AMERICAN SUPPLEMENT, No. 1012. Price 10 cents. To be had at this office and from all newdealers.

TUBULAR DRIVING LAMP.

IT is the only perfect one.
IT will not blow or jar out.
IT gives a clear, white light.
IT is like an engine head-light.
IT throws the light straight ahead from 200 to 300 ft.
IT burns kerosene.
Send for book (free).

R. E. DIETZ CO., 60 Laight Street, New York.
Mention this paper and get special discount.

ESTABLISHED 1840.

Small Motors for All Purposes
Prices from \$1 to \$15.
The Best Manufactured. No. 1 Motor and Battery Outfit complete, price \$1. Nos. 4, 5 and 6 Motors have a Drum Armature X RAY OUTFIT, \$18, complete.
X Ray Book, 25c., cloth 50c.
Send stamp for new Circular and Price List.

BOSTON MOTOR CO.,
Boston, Mass., U. S. A.

At 1/4 Price
Bicycles, Watches, Guns, Buggies, Harness, Sewing Machines, Organs, Pianos, Saws, Tools, Scales of all varieties and 1000 other articles. Lists free. CHICAGO SCALE CO., Chicago, Ill.

PHOTOGRAPHIC SIMPLICITY

Is embodied in the Pocket Kodak.

EASTMAN KODAK CO.

Booklet free at agencies or by mail.

Rochester, N. Y.



JESSOP'S STEEL THE VERY BEST FOR TOOLS, SAWS ETC.
WM JESSOP & SONS 91 JOHN ST. NEW YORK

Nickel Silver Watches

We are casing all sizes of movements in this new metal. It takes a better finish and is more enduring than sterling.

It supersedes the old nickel plate, and enables one to have a perfect timepiece at small cost.

Our Solid Gold and Filled Cases, as well as Sterling Silver and Enameled patterns, are in greater variety this season than ever.

New specialties have been added.

Our '97 Model

Trump Cyclometer,

the 10,000 mile wheel recorder, are all shown in our new catalogues, which will be sent to all.

The Waterbury Watch Co.

WATERBURY, CONN.



The Van Norman Universal Bench Lathe.



A Lathe, Milling Machine, Screw Cutter and Universal Grinder in one tool. The best tool made for all kinds of small work. Made by Waltham Watch Tool Co., SPRINGFIELD, MASS.
Send for Catalogue.

A Great Mining Triumph

Capt. J. R. DeLamar, of New York City, is one of the largest owners and workers of Gold Mines in the world. After the most careful investigation he purchased in August, 1895, two Griffin Mills, and his report is so remarkable as to demand the careful attention of every one interested in Gold Mining. We give it in his own words.

BRADLEY PULVERIZER CO. Gentlemen:—The two Griffin Mills have been in operation now for 90 days on the hardest rock, with the exception of corundum, that I have ever met during my mining life. They have taken the rock direct from the breaker, and they average about 20 tons to each machine, 40 mesh fine, without elevating or bolting. We simply put a 24 mesh screen around the Griffin Mill, and the stuff comes out 40 mesh fine or over, which makes it an excellent pulp for leaching by cyanide or chlorination; therefore we have concluded to order 10 more Griffin Mills. We have tried high-speed rolls and dry stamps, and after looking into the Huntin ton Dry Pulverizer, the Nord Pulverizer, the Stedman Pulverizer, the Frisbie Lucop, the Cook, and various other dry pulverizers, unhesitatingly recommend your Griffin Mill to any one.

Yours truly,

J. R. DELAMAR.

HOW 10 GRIFFIN MILLS WORK.

BRADLEY PULVERIZER CO. Gentlemen:—In answer to your inquiry as to what the "Griffin Mill" is doing at our DeLamar Mill, DeLamar, Nevada, we beg to state that we often run 310 tons per day with 10 of your mills in operation, and on one occasion these 10 mills produced 408 tons in one day. I have no hesitancy in stating that they will regularly produce at least 30 tons per day each on our ore, which is extremely and unusually hard.

Yours very truly,

H. A. COHEN, General Manager.

These strong letters coming from such representative men are conclusive evidence that we are right in claiming that the "Griffin Mill" will produce a larger amount of finer pulp at less cost than any other stamp or pulverizer made.

Let us send you a free copy of our illustrated pamphlet, which will tell you all about the Mill and bring to you other evidence of its great achievements.

BRADLEY PULVERIZER CO., 92 STATE ST., BOSTON, MASS.

THE MARVELOUS LIGHTY MARINE ENGINE. SAVES ENGINEER PILOT. BOILER, SMOKE, COAL & C. GRAND RAPIDS MICH GAS ENG & YACHT CO. 98 FRONT ST.

THE CHARTER GASOLINE ENGINE

is used for almost every purpose power is applied to under the sun, and is unequalled.

Full particulars by addressing
CHARTER GAS ENGINE CO.
Box 148, Sterling, Ill.

The Long-Sought-For Found at Last

AN IMPULSE WITH EVERY TURN OF THE CRANK. The Hicks Compound Cylinder Gas and Gasoline Engine.

The Engine of the future. This engine will run steadily and reliably as the best automatic steam engine, and much better than the ordinary single cylinder. Catalog free. Frontier Iron Works, 601 ATWATER ST., DETROIT, MICH.

POWER? POWER?? POWER!!!

Fifty per cent. increase at no additional expense.

Victor Vapor Engine.

Emphatically The Twentieth Century Gas Engine.

Send stamp for catalogue "A" Reliable agents wanted.

THOMAS KANE & CO.

64-66 Wabash Ave., Chicago.

This beats Wind, Steam, or Horse Power. We offer the WEBSTER 2 1/2 actual horse power GAS ENGINE for \$150, less 10% discount for cash. Built on interchangeable plan. Built of best material. Made in lots of 100 therefore we can make the price. Boxed for shipment, weight 800 pounds. Made for Gas or Gasoline.
Write for Special Catalogue.
WEBSTER MFG CO.,
1074 West 15th Street, CHICAGO.


THE IMPROVED GAS ENGINE.

Two cylinders in one casting. Occupies less space and weighs less for its power than any engine made. Can be used wherever power is required. Either stationary or marine. No fire. No heat. No smoke. No licensed engineer required.
Send for catalogue.
SINTZ GAS ENGINE CO.,
Grand Rapids, Mich., U. S. A.

New Occasions
A magazine of Social Progress. Sample copy 6c, 625th av., Chicago

GAS and GASOLINE ENGINES.

Using Natural Gas, Coal Gas, Producer Gas, and Gasoline direct from the tank. 1 to 40 H. P., actual.
The Springfield Gas Engine Co.,
21 W. Washington St., Springfield, O.



"WOLVERINE" GAS AND GASOLINE ENGINES, STATIONARY

The "Wolverine" is the only reversible Marine Gas Engine on the market. It is the lightest engine for its power. Requires no licensed engineer. Absolutely safe. Manufactured by WOLVERINE MOTOR WORKS, 12 Huron Street, GRAND RAPIDS, MICH.

PRIESTMAN SAFETY OIL ENGINE

"A thoroughly successful commercial Engine using a Safe Oil."—Franklin Institute
No Extra Insurance. No steam. No Gas. No Gasoline. Reliable. Safe. Economical. and Convenient. Chosen by Nine Governments. Used for nearly every purpose.
PRIESTMAN & CO., Incorp'd.,
530 Bourse Bldg., PHILADELPHIA, PA.

PRINTING MACHINERY, TOOLS, INKS AND TYPE.
GOLDING & CO., 179 Ft. Hill Sq., Boston, Mass.

PRINTING INKS

The SCIENTIFIC AMERICAN is printed with CHAS. BNEU JOHNSON & CO'S INK. Tenth and Lombard Sts., Philadelphia, and 47 Rose St., opp. Duane, New York